

Scan the code above to learn more about our Energy portfolio.

Energy Portfolio



Energy

Electrosurgery Reference	ENG-2
Olsen® Single-Use Bayonet Bipolar Forceps	ENG-3
Olsen® Single-Use Bipolar Forceps	ENG-8
Olsen®/Ultra™ Reusable Bayonet Bipolar Forceps	ENG-12
Olsen®/Ultra™ Reusable Bipolar Forceps	ENG-22
Olsen® Single-Use Monopolar Forceps	ENG-26
Olsen® Reusable Bayonet Monopolar Forceps	ENG-27
Olsen® Reusable Monopolar Forceps	ENG-29
Olsen® Monopolar Electrodes	ENG-31
Monopolar Electrodes	ENG-34
Ultra™ Monopolar Laparoscopic Forceps	ENG-35

Olsen® Monopolar Blade Electrodes	ENG-50
Olsen® Electrode Extenders	ENG-51
Ultra [™] Laparoscopic Electrodes	ENG-51
Olsen® Monopolar Loop Electrodes	ENG-52
Olsen® Monopolar Needle Electrodes	ENG-53
Olsen® Suction Coagulators	ENG-57
Olsen® Electrosurgical Cords	ENG-58
Olsen® Exposed Top Forceps	ENG-60
Olsen® Monopolar Adapters	ENG-61
Olsen® Monopolar Pencils	ENG-62
Olsen® Energy Accessories	ENG-64



The Surgical Instrument Desk Reference

How to Use Our Catalog

The Symmetry Surgical catalog is designed with you in mind, to be your trusted resource for surgical instrumentation. We took great care in creating an easy-to-use, robust catalog and we think you'll be pleased with the design as you become more familiar with our broad portfolio.

Layout

The catalog is organized by surgical specialty **and** product function.

And we know that it is difficult to pick up an instrument and know what specialty it's listed in. To make your job easier, we've sorted the instruments in our portfolio by surgical function, too, including Energy, Laparoscopic, Retractors and Sterilization Solutions.

U.S. Customer Service

Your Symmetry Surgical Customer Service team wants to make ordering surgical instruments the easiest part of your day. We accept orders via phone, fax, email, our website, Global Healthcare Exchange (GHX) and through the mail.

PHONE

1.800.251.3000 (Available Monday through Friday, 8:30 AM-6:30 PM EST)

FAX

1.800.342.3272

EMAIL

customerservice@symmetrysurgical.com

ONLINE

symmetrysurgical.com

MAILING ADDRESS

Symmetry Surgical Attn: Customer Service 3034 Owen Drive Antioch, TN 37013



The Surgical Instrument Desk Reference

International Customer Service

Cardiovascular/Thoracic

Energy

PHONE

Symmetry Surgical Switzerland GmbH +41 (0) 52 557 59 00 (Available Monday through Friday, 7:00-16:00 GMT)

Symmetry Surgical, Inc., USA 1.615.964.5672 (Available Monday through Friday, 8:30 AM–6:30 PM EST)

FAXSymmetry Surgical Switzerland GmbH

+41 (0) 52 557 59 99

EMAIL

customerservice@symmetrysurgical.com internationalorders@symmetrysurgical.com

ONLINE symmetrysurgical.com

MAILING ADDRESS
Symmetry Surgical Switzerland GmbH
Bühlstrasse 27
CH-8200 Schaffhausen

Switzerland

Symmetry Surgical, Inc. 3034 Owen Drive Antioch, TN 37013

INTERNATIONAL PAYMENT TERMS/RETURN GOODS POLICY/INSTRUMENT REPAIR & RESTORE PROGRAM/LITERATURE REQUESTS

Please contact your local distributor. Locate a local distributor contact, International Customer Service at +41 (0) 52 557 59 00 or 1.615.964.5672 (US).

Ear, Nose & Throat

General

Neurology

Laparoscopic

Obesity

OB/GYN

Ophthalmology

Orthopedics & Arthroscopy

Pediatrics

Rectal

Retractors

Spine


Urology

Sterilization Solutions

Alphabetical & Numeric Indexes



Electrosurgery Reference







Single-Use Bayonet Bipolar Forceps

20-1320

Smooth Tips, 10 per Box

Length (L)	6½ in 165 mm	6½in 165mm	6½ in 165 mm	6½in 165mm
Working (WL)	3¾in 95mm	3¾in 95mm	3¾in 95 mm	3¾in 95mm
TIPSIZE	FORCEPS, NON-INSULATED	FORCEPS, INSULATED	KIT, NON-INSULATED	KIT, INSULATED
0.5 mm	20-1315	20-13151	20-1315K	20-1315KI
0.75 mm	20-1320-OL	20-13201	20-1320K	20-1320KI
1.0 mm	20-1325	20-13251	20-1325K	20-1325KI
1.5 mm	20-1330	20-13301	20-1330K	20-1330KI



Single-Use Bayonet Bipolar Forceps

20-1370

Length (L)	7¼ in 184 mm	7¼ in 184 mm	7¼in 184 mm	7¼ in 184 mm
Working (WL)	2¾in 70 mm	2¾in 70 mm	2¾in 70 mm	2¾in 70 mm
TIPSIZE	FORCEPS, NON-INSULATED	FORCEPS, INSULATED	KIT, NON-INSULATED	KIT, INSULATED
0.5 mm	20-1355	20-13551	20-1355K	20-1355KI
0.75 mm	20-1360	20-13601	20-1360K	20-1360KI
1.0 mm	20-1340	20-13401	20-1340K	20-1340KI
1.5 mm	20-1370	20-13701	20-1370K	20-1370KI
2.0 mm	20-1375	20-1375	20-1375K	20-1375KI





Single-Use Bayonet Bipolar Forceps

Smooth Tips, 10 per Box

Length (L)	7¾ in 197 mm	7¾in 197 mm	7¾in 197 mm	7¾in 197 mm
Working (WL)	3 in 76 mm	3 in 76 mm	3 in 76 mm	3 in 76 mm
TIPSIZE	FORCEPS, NON-INSULATED	FORCEPS, INSULATED	KIT, NON-INSULATED	KIT, INSULATED
0.5 mm	20-1386	20-13861	20-1386K	20-1386KI
0.75 mm	20-1384	20-13841	20-1384K	20-1384KI
1.0 mm	20-1382	20-13821	20-1382K	20-1382KI
1.5 mm	20-1380	20-13801	20-1380K	20-1380KI



Single-Use Bayonet Bipolar Forceps

Smooth Tips, 10 per Box

Length (L)	8¼in 210 mm	8¼in 210 mm	8¼in 210 mm	8¼in 210 mm
Working (WL)	4½ in 105 mm	4½in 105mm	4½ in 105 mm	4½ in 105 mm
TIP SIZE	FORCEPS, NON-INSULATED	FORCEPS, INSULATED	KIT, NON-INSULATED	KIT, INSULATED
0.5 mm	20-1420	20-14201	20-1420K	20-1420KI
0.75 mm	20-1400	20-14001	20-1400K	20-1400KI
1.0 mm	20-1440	20-14401	20-1440K	20-1440KI
1.5 mm	20-1410	20-14101	20-1410K	20-1410KI
2.0 mm	20-1415	20-14151	20-1415K	20-1415KI



Single-Use Bayonet Bipolar Forceps, Angled Up

Working (WL)	4½ in 105 mm	4½ in 105 mm	4½ in 105 mm	4½ in 105 mm
TID CIZE	FORCEPS, NON-INSULATED	EODOEDS INISIII ATED	KIT, NON-INSULATED	KIT, INSULATED
TIPSIZE	FURCEPS, NON-INSULATED	TORCEPS, INSULATED	KII, NON-INSOLATED	KII, INSULATED





Single-Use Bayonet Bipolar Forceps

Smooth Tips, 10 per Box

Length (L)	10½ in 267 mm	10½ in 267 mm	10½ in 267 mm	10½ in 267 mm
Working (WL)	6 in 152 mm	6 in 152 mm	6 in 152 mm	6 in 152 mm
TIPSIZE	FORCEPS, NON-INSULATED	FORCEPS, INSULATED	KIT, NON-INSULATED	KIT, INSULATED
0.5 mm	20-1484	20-14841	20-1484K	20-1484KI
0.75 mm	20-1486	20-14861	20-1486K	20-1486KI
1.0 mm	20-1480	20-14801	20-1480K	20-1480KI
1.5 mm	20-1481	20-14811	20-1481K	20-1481KI



Single-Use Delashaw* Bayonet Bipolar Forceps

Smooth Tips, 10 per Box

CODE	DESCRIPTION	TIPSIZE	LENGTH	1
20-1350	Forceps, Non-Insulated	Micro	7¼ in	184 mm
20-13501	Forceps, Insulated	Micro	7¼ in	184 mm
20-1350K	Kit, Non-Insulated	Micro	7¼ in	184 mm
20-1350KI	Kit, Insulated	Micro	7¼ in	184 mm

^{*}Developed by Johnny Delashaw, Jr., M.D.

Single-Use Bayonet Bipolar Forceps, Acute Angle

Length (L)	6¼in 159 mm	6¼in 159 mm	6¼in 159 mm	6¼in 159mm
Working (WL)	3½in 89 mm	3½in 89 mm	3½in 89 mm	3½ in 89 mm
TIP SIZE	FORCEPS, NON-INSULATED	FORCEPS, INSULATED	KIT, NON-INSULATED	KIT, INSULATED
0.75 mm	20-1500	20-15001	20-1500K	20-1500KI
1.0 mm	20-1510	20-15101	20-1510K	20-1510KI
1.5 mm	20-1520	20-15201	20-1520K	20-1520KI



Single-Use Bayonet Bipolar Forceps, Acute Angle

Smooth Tips, 10 per Box

Length (L)	7½ in 191 mm	7½ in 191 mm	7½in 191 mm	7½ in 191 mm
Working (WL)	41/8 in 105 mm	41/8 in 105 mm	4½ in 105 mm	41/8 in 105 mm
TIPSIZE	FORCEPS, NON-INSULATED	FORCEPS, INSULATED	KIT, NON-INSULATED	KIT, INSULATED
0.75 mm	20-1530	20-15301	20-1530K	20-1530KI
1.0 mm	20-1540	20-15401	20-1540K	20-1540KI
1.5 mm	20-1550	20-15501	20-1550K	20-1550KI
Length (L)	8¾ in 213 mm	8¾in 213 mm	8% in 213 mm	8¾in 213 mm
Working (WL)	5½ in 130 mm	5½ in 130 mm	5½ in 130 mm	51/8 in 130 mm
TIPSIZE	FORCEPS, NON-INSULATED	FORCEPS, INSULATED	KIT, NON-INSULATED	KIT, INSULATED
0.75 mm	20-1560	20-15601	20-1560K	20-1560KI
1.0 mm	20-1570	20-15701	20-1570K	20-1570KI
1.5 mm	20-1580	20-15801	20-1580K	20-1580KI



Single-Use Bayonet Bipolar Forceps, Angled Up

Smooth Tips, 10 per Box

Length (L)	10½ in 267 mm	10½ in 267 mm	10½ in 267 mm	10½ in 267 mm
Working (WL)	6 in 152 mm	6 in 152 mm	6 in 152 mm	6 in 152 mm
TIPSIZE	FORCEPS, NON-INSULATED	FORCEPS, INSULATED	KIT, NON-INSULATED	KIT, INSULATED
1.0 mm		20-16821		20-1682KI



Single-Use Bayonet Bipolar Forceps, with Midas Touch® Non-Stick Tips

Length (L)	6½in 165mm	7½ in 191 mm	8¼in 210 mm	10½ in 267 mm
Working (WL)	3¾in 95mm	3 in 76 mm	4½ in 105 mm	6 in 152 mm
TIPSIZE	INSULATED	INSULATED	INSULATED	INSULATED
0.5 mm	20-1315IMT	20-1386IMT	20-1420IMT	
0.75 mm	20-1320IMT	20-1384IMT	20-1400IMT	
1.0 mm	20-1325IMT	20-1382IMT	20-1440IMT	20-1480IMT
1.5 mm	20-1330IMT	20-1380IMT	20-1410IMT	
2.0 mm			20-1415IMT	



Single-Use Bayonet Tonsil Bipolar Forceps

Smooth Tips, Angled Down, Insulated, 10 per Box


Length (L)	7½ in	191 mm	7½in	191 mm
Working(WL)	3 in	76 mm	3 in	76 mm
TIPSIZE	FORCE	PS, INSULATED	KIT, INS	SULATED
1.5 mm	20-138	11	20-138	B1KI



Single-Use Irrigating Bayonet Bipolar Forceps

Smooth Tips, 5 per Box

Length (L)	6¼in 159 mm	7¼in 184mm	8¼in 210 mm	10½in 267mm
Working (WL)	2¾in 70 mm	2¾in 70 mm	4¼in 108 mm	6¼ in 159 mm
TIPSIZE	INSULATED	INSULATED	INSULATED	INSULATED
0.5 mm	20-0311	20-0361	20-0411	
1.0 mm	20-0321	20-0371	20-0421	20-0481
1.5 mm	20-0331	20-0381	20-0431	20-0491
Micro		20-0351		



Single-Use Irrigating Bayonet Bipolar Forceps, Single-Use Kits for Rotary Pumps

Smooth Tips, 5 per Box, with 12 ft Integrated Tubing/Cord Set

Length (L)	6¼in 159 mm	7¼in 184mm	8¼ in 210 mm	10½ in 267 mm
Working (WL)	2¾in 70 mm	2¾in 70 mm	4¼in 108 mm	6¼in 159 mm
TIPSIZE	INSULATED	INSULATED	INSULATED	INSULATED
0.5 mm	20-0311R	20-0361R	20-0411R	
1.0 mm	20-0321R	20-0371R	20-0421R	20-0481R
1.5 mm	20-0331R	20-0381R	20-0431R	20-0491R



Single-Use Adson Bipolar Forceps, Serrated Tip

10 per Box

CODE	DESCRIPTION	TIPSIZE	LENG	TH
20-1080	Forceps, Non-Insulated	1.0 mm	5 in	127 mm
20-10801	Forceps, Insulated	1.0 mm	5 in	127 mm
20-1080K	Kit, Non-Insulated	1.0 mm	5 in	127 mm
20-1080KI	Kit, Insulated	1.0 mm	5 in	127 mm



Single-Use Adson Bipolar Forceps, Smooth Tip

10 per Box

CODE	DESCRIPTION	TIPSIZE	LENG	aTH .
20-1082	Forceps, Non-Insulated	1.0 mm	5 in	127 mm
20-10821	Forceps, Insulated	1.0 mm	5 in	127 mm
20-1082K	Kit, Non-Insulated	1.0 mm	5 in	127 mm
20-1082KI	Kit, Insulated	1.0 mm	5 in	127 mm



Single-Use Adson Bipolar Forceps, with Midas Touch® Non-Stick Tips

5 per Box

CODE	DESCRIPTION	TIPSIZE	LENG	ATH
20-1082IMT	Forceps, Non-Stick	1.0 mm	5 in	127 mm



Single-Use Coaptation Bipolar Forceps

CODE	DESCRIPTION	TIPSIZE	LENGT	H
20-1010-OL	Forceps, Non-Insulated	Micro	4½ in	114 mm
20-10101	Forceps, Insulated	Micro	4½ in	114 mm
20-1010K	Kit, Non-Insulated	Micro	4½ in	114 mm
20-1010KI	Kit, Insulated	Micro	4½in	114 mm





Single-Use Cushing Bipolar Forceps

Smooth Tips, 10 per Box

CODE	DESCRIPTION	TIPSIZE	LENGTH	
20-1160	Forceps, Non-Insulated	1.0 mm	7 in	178 mm
20-11601	Forceps, Insulated	1.0 mm	7 in	178 mm
20-1160K	Kit, Non-Insulated	1.0 mm	7 in	178 mm
20-1160KI	Kit, Insulated	1.0 mm	7 in	178 mm
20-1162	Forceps, Non-Insulated	1.5 mm	7 in	178 mm
20-11621	Forceps, Insulated	1.5 mm	7 in	178 mm
20-1162K	Kit, Non-Insulated	1.5 mm	7 in	178 mm
20-1162KI	Kit, Insulated	1.5 mm	7 in	178 mm



Single-Use Gerald Bipolar Forceps

Smooth Tips, 10 per Box

CODE	DESCRIPTION	TIPSIZE	LENGTH	
20-1180	Forceps, Non-Insulated	1.0 mm	7¼ in	184 mm
20-11801	Forceps, Insulated	1.0 mm	7¼ in	184 mm
20-1180K	Kit, Non-Insulated	1.0 mm	7¼ in	184 mm
20-1180KI	Kit, Insulated	1.0 mm	7¼ in	184 mm



Single-Use Iris Bipolar Forceps, Straight

Serrated Tips, 10 per Box

CODE	DESCRIPTION	TIPSIZE	LENGTH	
20-1030	Forceps, Non-Insulated	1.0 mm	4½in	114 mm
20-10301	Forceps, Insulated	1.0 mm	4½ in	114 mm
20-1030K	Kit, Non-Insulated	1.0 mm	4½in	114 mm
20-1030KI	Kit, Insulated	1.0 mm	4½in	114 mm



Single-Use Iris Bipolar Forceps, Angled

Serrated Tips, 10 per Box

CODE	DESCRIPTION	TIPSIZE	LENGTH	
20-1040	Forceps, Non-Insulated	1.0 mm	4½ in	114 mm
20-10401	Forceps, Insulated	1.0 mm	4½ in	114 mm
20-1040K	Kit, Non-Insulated	1.0 mm	4½ in	114 mm
20-1040KI	Kit, Insulated	1.0 mm	4½ in	114 mm





Single-use products are sold sterile. Kits Include Forceps, 12 ft (3.6 m) Cord and Surgi-Wipe.

Single-Use Jewelers Bipolar Forceps, Straight

Smooth Tips, 10 per Box

CODE	DESCRIPTION	TIPSIZE	LENGTH	
20-1060	Forceps, Non-Insulated	Micro	4¾ in	121 mm
20-10601	Forceps, Insulated	Micro	4¾in	121 mm
20-1060K	Kit, Non-Insulated	Micro	4¾in	121 mm
20-1060KI	Kit, Insulated	Micro	4¾ in	121 mm



Single-Use Jewelers Bipolar Forceps, Curved

Smooth Tips, 10 per Box

CODE	DESCRIPTION	TIPSIZE	LENGTH	
20-1070	Forceps, Non-Insulated	Micro	4¾ in	121 mm
20-10701	Forceps, Insulated	Micro	4¾ in	121 mm
20-1070K	Kit, Non-Insulated	Micro	4¾ in	121 mm
20-1070KI	Kit, Insulated	Micro	4¾ in	121 mm



Single-Use Jewelers Bipolar Forceps, Straight, Ridged Handle

Smooth Tips, 10 per Box

CODE	DESCRIPTION	TIPSIZE	LENGTH	
20-1203	Forceps, Non-Insulated	Micro	3⅓in	98 mm
20-12031	Forceps, Insulated	Micro	3%in	98 mm
20-1203K	Kit, Non-Insulated	Micro	3%in	98 mm
20-1203KI	Kit, Insulated	Micro	3⅓in	98 mm



Single-Use Jewelers Bipolar Forceps, with Midas Touch® Non-Stick Tips

Insulated, Smooth Tips, 5 per Box

CODE	DESCRIPTION	TIPSIZE	LENGT	Ή
20-1060IMT	Forceps, Non-Stick	Micro	4¾ in	121 mm





Single-Use McPherson Bipolar Forceps, Angled

Smooth Tips, 10 per Box

CODE	DESCRIPTION	TIPSIZE	LENGTH	
20-1200	Forceps, Non-Insulated	0.5 mm	3%in	98 mm
20-12001	Forceps, Insulated	0.5 mm	3%in	98 mm
20-1200K	Kit, Non-Insulated	0.5 mm	3%in	98 mm
20-1200KI	Kit, Insulated	0.5 mm	3%in	98 mm



Single-Use McPherson Bipolar Forceps, Straight

Smooth Tips, 10 per Box

CODE	DESCRIPTION	TIPSIZE	LENGTH	
20-1201	Forceps, Non-Insulated	0.5 mm	3%in	98 mm
20-12011	Forceps, Insulated	0.5 mm	3%in	98 mm
20-1201K	Kit, Non-Insulated	0.5 mm	3%in	98 mm
20-1201KI	Kit, Insulated	0.5 mm	3% in	98 mm
20-1020	Forceps, Non-Insulated	0.5 mm	4¼in	108 mm
20-10201	Forceps, Insulated	0.5 mm	4¼in	108 mm
20-1020K	Kit, Non-Insulated	0.5 mm	4¼in	108 mm
20-1020KI	Kit, Insulated	0.5 mm	4¼in	108 mm



Single-Use Semkin Bipolar Forceps

Smooth Tips, 10 per Box

CODE	DESCRIPTION	TIPSIZE	LENGTH	
20-1190	Forceps, Non-Insulated	1.0 mm	5½in	140 mm
20-11901	Forceps, Insulated	1.0 mm	5½in	140 mm
20-1190K	Kit, Non-Insulated	1.0 mm	5½in	140 mm
20-1190KI	Kit, Insulated	1.0 mm	5½in	140 mm
20-1090	Forceps, Non-Insulated	0.75 mm	5¾in	146 mm
20-10901	Forceps, Insulated	0.75 mm	5¾in	146 mm
20-1090K	Kit, Non-Insulated	0.75 mm	5¾in	146 mm
20-1090KI	Kit, Insulated	0.75 mm	5¾ in	146 mm



Single-Use Semkin Bipolar Forceps, with Midas Touch® Non-Stick Tips

Insulated, Smooth Tips, 5 per Box

CODE	CODE DESCRIPTION		TIP SIZE LENGTH	
20-1090IMT	Forceps, Non-Stick	0.75 mm	5¾ in	146 mm







Bayonet Bipolar Forceps

Reusable, Smooth Tips, 1 Each

, , , , , , , , , , , , , , , , , , , ,				
Length (L)	6½ in 165 mm	7¼in 184 mm	8¼in 210 mm	10½ in 267 mm
Working (WL)	2¾in 70 mm	2¾in 70 mm	4¼in 108mm	6¼in 159 mm
TIPSIZE	NON-INSULATED	NON-INSULATED	NON-INSULATED	NON-INSULATED
0.5 mm	10-1311	10-1360	10-1421	10-1483
0.75 mm	10-1321	10-1361	10-1401	10-1485
1.0 mm	10-1322	10-1362	10-1431	10-1481
1.5 mm	10-1331	10-1371	10-1411	10-1484
2.0 mm		10-1372	10-1412	10-1487
Length (L)	6¼ in 159 mm	7⅓ in 181 mm	8¼in 210 mm	10½ in 267 mm
Working (WL)	2¾in 70 mm	2¾in 70 mm	4¼in 108mm	6¼in 159 mm
TIPSIZE	INSULATED	INSULATED	INSULATED	INSULATED
0.5 mm	10-13111	10-13601	10-14211	10-14831
0.75 mm	10-13211	10-13611	10-14011	10-14851
1.0 mm	10-13221	10-13621	10-14311	10-14811
1.5 mm	10-13311	10-13711	10-14111	10-14841
2.0 mm		10-13721	10-14121	10-14871

Bayonet Bipolar Forceps

Reusable, Smooth Tips, 1 Each

Length (L)	6¾in 171 mm	7¾in 197 mm	7¾in 197 mm	85% in 219 mm	12 in 305 mm
Working (WL)	2¾in 70 mm	3 in 76 mm	3⅓in 92mm	4½in 114mm	7% in 200 mm
TIPSIZE	INSULATED	INSULATED	INSULATED	INSULATED	INSULATED
Micro	80205	80304			
0.5 mm	80204	80303	80434	80574	
0.75 mm			80433	80573	
1.0 mm	80202	80302			80582
1.2 mm			80432	80572	
1.5 mm	80201	80301	80431	80571	80581
2.0 mm	80200	80300	80430	80570	80580





Bayonet Bipolar Forceps, Acute Angle

Reusable, Smooth Tips, 1 Each

Length (L)	6½in 156m	m 7½in 191 mm	8¾in 213 mm	6½ in 156 mm 7½ ir	191 mm 8 % in 213 mm
Working (WL)	25% in 67 mr	n 2¾in 70 mm	8¾ in 213 mm	25% in 67 mm 234 ir	n 70 mm 8 % in 213 mm

TIPSIZE	NON-INSULATED	NON-INSULATED	NON-INSULATED	INSULATED	INSULATED	INSULATED
1.0 mm	10-1501	10-1531	10-1561	10-15011	10-15311	10-15611
1.5 mm	10-1511	10-1541	10-1571	10-15111	10-15411	10-15711
2.0 mm	10-1521	10-1551	10-1581	10-15211	10-15511	10-15811



Bayonet Bipolar Forceps, Angled Up

Reusable, Smooth Tips, 1 Each

Length (L)	8¼in 210 mm	10½ in 267 mm	8¼ in 210 mm	10½ in 267 mm
Working (WL)	4¼in 108mm	6¼ in 159 mm	4¼in 108 mm	6¼in 159 mm
TIPSIZE	NON-INSULATED	NON-INSULATED	INSULATED	INSULATED
1.0 mm	10-1445	10-1482	10-14451	10-14821
1.5 mm	10-1447	10-1486	10-14471	10-14861
2.0 mm	10-1449	10-1488	10-14491	10-14881



Bayonet Bipolar Forceps, Irrigating

 $Reusable, Smooth\,Tips, Insulated\,with\,Stylet, 1\,Each$

Length (L)	6½ in 165 mm	7¾in 197 mm	8 % in 219 mm	10½ in 267 mm
Working (WL)	2¾in 70 mm	35% in 92 mm	4% in 111 mm	6¼in 159 mm
TIP SIZE	INSULATED	INSULATED	INSULATED	INSULATED
0.5 mm		10-03511	10-04011	10-04611
0.75 mm	10-03211	10-03611	10-04111	10-04711
1.0 mm	10-03311	10-03711	10-04211	10-04811
1.5 mm	10-03411	10-03811	10-04311	10-04911
2.0 mm		10-03911	10-04411	10-04931

Single-use products are sold sterile. Kits Include Forceps, 12 ft (3.6 m) Cord and Surgi-Wipe.





Bayonet Bipolar Forceps, with Midas Touch® Non-Stick Tips

Reusable, Smooth Tips, 1 Each

Length (L)	7¾in 197 mm	8% in 219 mm	10½ in 267 mm
Working (WL)	3⅓in 92mm	4¾ in 111 mm	6¼in 159 mm
TIPSIZE	INSULATED	INSULATED	INSULATED
0.5 mm	90-7004	90-8012	90-9008
0.75 mm	90-7000	90-8000	90-9007
1.2 mm	90-7005	90-8013	90-9006
1.5 mm	90-7001	90-8001	90-9005
2.0 mm	90-7006	90-8003	90-9009



Cushing Bayonet Bipolar Forceps

Reusable, Smooth Tips, 1 Each

CODE	DESCRIPTION	TIP SIZE	LENGTH
08-0000	Forceps, Non-Insulated	0.7 mm	7½ in 191 mm
08-0026	Forceps, Non-Insulated	1.0 mm	7½ in 191 mm
08-0027	Forceps, Non-Insulated	1.5 mm	7¾in 197 mm
08-00001	Forceps, Insulated	0.7 mm	7¾ in 197 mm
08-00261	Forceps, Insulated	1.0 mm	7¾ in 197 mm
08-00271	Forceps, Insulated	1.5 mm	7¾ in 197 mm

Cushing Bayonet Bipolar Forceps, Irrigating

Reusable, Smooth Tips, 1 Each

CODE	DESCRIPTION	TIP SIZE	LENGTH
08-0026IG	Irrigating, Insulated	1.0 mm	7½ in 191 mm



Gerald Bayonet Bipolar Forceps, Irrigating

Reusable, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGTH
08-0041	Non-Insulated	1.0 mm	7½ in 191 mm
08-0013IG	Insulated	1.0 mm	7¼ in 184 mm





Hardy[™] Bayonet Bipolar Forceps

Reusable, Smooth Tips, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGTH
08-0043	Forceps, Non-Insulated	0.5 mm	8½in 216 mm
08-00431	Forceps, Insulated	0.5 mm	8½ in 216 mm

K-Style Standard Acute Angle Bayonet Bipolar Forceps, Straight

Reusable, Smooth Tip, Midas Touch® Non-Stick Tips, 1 Each

Length (L)	8% in 219 mm	9½in 241mm	
Working (WL)	4½in 114mm	51/8 in 130 mm	
TIPSIZE	INSULATED	INSULATED	
1.0 mm	90-8008	90-9504	



K-Style Standard Angle Bayonet Bipolar Forceps, Straight

Reusable, Smooth Tip, Midas Touch® Non-Stick Tips, 1 Each

Length (L)	8 % in 219 mm	9½ in 241 mm	10½ in 267 mm
Working (WL)	4½ in 114 mm	5½ in 130 mm	6¼in 159 mm
TIPSIZE	INSULATED	INSULATED	INSULATED
0.5 mm	90-8015	90-9507	
0.75 mm	90-8016	90-9508	
1.0 mm	90-8006	90-9501	90-9001
1.5 mm		90-9500	90-9000





K-Style Standard Angle Bayonet Bipolar Forceps, Curved Up

Reusable, Smooth Tip, Midas Touch® Non-Stick Tips, 1 Each

Length (L)	8 % in 219 mm	9½ in 241 mm	
Working (WL)	4½ in 114 mm	5⅓in 130 mm	
TIPSIZE	INSULATED	INSULATED	
0.5 mm	90-8017	90-9509	
0.75 mm	90-8018	90-9510	
1.0 mm	90-8007	90-9502	



K-Style Standard Angle Bayonet Bipolar Forceps, Curved Down

Reusable, Smooth Tip, Midas Touch® Non-Stick Tips, 1 Each

Length (L)	8 % in 219 mm	9½ in 241 mm
Working (WL)	4½ in 114 mm	51/8 in 130 mm
TIPSIZE	INSULATED	INSULATED
1.0 mm	90-9503	90-9506



K-Style Standard Angle Bayonet Bipolar Forceps, Curved Up

Reusable, Smooth Tip, Midas Touch® Non-Stick Tips, 1 Each

Length (L)	85% in 219 mm	9½ in 241 mm	
Working (WL)	4½ in 114 mm	51/8 in 130 mm	
TIP SIZE	INSULATED	INSULATED	
1.0 mm	90-8009	90-9505	





Malis® Bayonet Bipolar Forceps

Reusable, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGTH
08-0090	Forceps, Non-Insulated	0.5 mm	5½ in 140 mm
08-0091	Forceps, Non-Insulated	1.5 mm	7 in 178 mm
08-0089	Forceps, Non-Insulated	1.5 mm	7½ in 191 mm

Malis® Bayonet Bipolar Forceps, Irrigating

Reusable, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGTH
08-0223	Forceps, Irrigating	0.25 mm	7½ in 191 mm
08-0143	Forceps, Irrigating	0.5 mm	7¾in 197 mm
08-0149	Forceps, Irrigating	1.5 mm	8¾in 222 mm



Rhoton® Bayonet Bipolar Forceps

Reusable, Round Handle, 1 Each

				00.0000			
TIF	SIZE	NON-INSULATED	NON-INSULATED	NON-INSULATED	NON-INSULATED	INSULATED	INSULATED
Le	ngth (L)	/½in 181 mm	/%in 200 mm	8% in 219 mm	10 in 254 mm	/%in 200 mm	8%in 219 mm

TIPSIZE	NON-INSULATED	NON-INSULATED	NON-INSULATED	NON-INSULATED	INSULATED	INSULATED
0.3 mm			08-0308			
0.5 mm		08-0303	08-0309			
0.7 mm			08-0310	08-0319	08-03041	08-03101
1.0 mm	08-0300		08-0311			08-03111
1.5 mm		08-0306	08-0312		08-03061	08-03121
2.0 mm	08-0301	08-0307	08-0313		08-03011	08-03131

Rhoton® Bayonet Bipolar Forceps, Irrigating

Reusable, Round Handle, 1 Each

CODE	DESCRIPTION	TIP SIZE	LENGTH
08-0313IG	Irrigating Forceps, Insulated	2.0 mm	8% in 219 mm





Scoville-Greenwood Bayonet Bipolar Forceps

Reusable, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGTH	
08-0030	Forceps, Non-Insulated	1.5 mm	7½ in	191 mm
08-0092	Forceps, Non-Insulated	1.5 mm	7 in	178 mm
08-00281	Forceps, Insulated	0.25 mm	7¾ in	197 mm
08-00301	Forceps, Insulated	1.5 mm	7½ in	191 mm

Scoville-Greenwood Bayonet Bipolar Forceps, Irrigating

Reusable, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGTH	
08-0030IG	Irrigating, Insulated	1.5 mm	7¾ in	197 mm



Titanium Bayonet Bipolar Forceps, Straight Tips

Reusable, Malis® Type, Flat Handle, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGTH	
08-0020	Forceps, Insulated	1.0 mm	8½in	216 mm

Titanium Bayonet Bipolar Forceps, Tips Angled Down, Straight Tips

Reusable, Malis® Type, Flat Handle, 1 Each

CODE	DESCRIPTION	TIP SIZE	LENGTH	
08-0104	Forceps, Non-Insulated	0.5 mm	8¾ in	222 mm
08-01051	Forceps, Insulated	0.5 mm	8¾ in	222 mm

Titanium Bayonet Bipolar Forceps, Irrigating

Reusable, Malis® Type, Flat Handle, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGTH	
08-0075	Forceps, Insulated	0.25 mm	8¾ in	222 mm
08-0100IG	Forceps, Insulated	0.5 mm	8¾in	222 mm
08-0101IG	Forceps, Insulated	1.5 mm	8¾in	222 mm



Titanium Bayonet Bipolar Forceps, Straight Tips

Reusable, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGTH	1
08-0100	Forceps, Non-Insulated	0.5 mm	8¾in	222 mm
08-0101	Forceps, Non-Insulated	1.5 mm	8¾ in	222 mm
08-01001	Forceps, Insulated	0.5 mm	8¾in	222 mm
08-01011	Forceps, Insulated	1.5 mm	8¾ in	222 mm

Titanium Bayonet Bipolar Forceps, with Midas Touch® Non-Stick Tips

Reusable, Straight, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGTH	
08-0062NS	Forceps, Non-Insulated	0.25 mm	8¾ in	222 mm



Titanium Rhoton® Bayonet Bipolar Forceps

Reusable, Round Handle, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGTH	1
08-0122	Forceps, Non-Insulated	0.5 mm	9½in	241 mm
08-0123	Forceps, Non-Insulated	1.0 mm	9½ in	241 mm
08-01221	Forceps, Insulated	0.5 mm	9½in	241 mm
08-01201	Forceps, Insulated	1.5 mm	8½in	216 mm

Titanium Rhoton® Bayonet Bipolar Forceps, Straight

Reusable, Round Handle, 1 Each

CODE	DESCRIPTION	TIP SIZE	LENGTH	4
08-0058	Titanium Forceps	0.5 mm	6 in	152 mm
08-0130	Titanium Forceps	0.5 mm	7 in	178 mm
08-0509	Titanium Forceps	1.5 mm	8 % in	225 mm

Titanium Rhoton® Bayonet Bipolar Forceps, Curved

Reusable, Round Handle, 1 Each

CODE	DESCRIPTION	TIP SIZE	LENGTH
08-0061	Titanium Forceps	0.5 mm	7⅓in 181 mm





Yasargil Bayonet Bipolar Forceps

Reusable, Flat Handle, 1 Each

CODE DESCRIPTION TIP SIZE LENGTH 08-0015 Forceps, Non-Insulated 0.7 mm 6½ in 159 mm 08-0016 Forceps, Non-Insulated 0.7 mm 6½ in 159 mm 08-0017 Forceps, Non-Insulated 0.5 mm 7½ in 181 mm 08-0018 Forceps, Non-Insulated 0.7 mm 7½ in 181 mm 08-0019 Forceps, Non-Insulated 1.0 mm 7½ in 181 mm 08-0024 Forceps, Non-Insulated 0.7 mm 7½ in 200 mm 08-0022 Forceps, Non-Insulated 1.3 mm 7½ in 200 mm 08-0023 Forceps, Insulated 0.7 mm 7½ in 200 mm 08-0025 Forceps, Insulated 0.7 mm 7½ in 200 mm 08-0025 Forceps, Insulated 1.3 mm 7½ in 200 mm				
08-0016 Forceps, Non-Insulated 0.7 mm 6½ in 159 mm 08-0017 Forceps, Non-Insulated 0.5 mm 7½ in 181 mm 08-0018 Forceps, Non-Insulated 0.7 mm 7½ in 181 mm 08-0019 Forceps, Non-Insulated 1.0 mm 7½ in 181 mm 08-0024 Forceps, Non-Insulated 1.3 mm 7½ in 181 mm 08-0022 Forceps, Non-Insulated 0.7 mm 7½ in 200 mm 08-0025 Forceps, Non-Insulated 1.3 mm 7½ in 200 mm 08-0023I Forceps, Insulated 0.7 mm 7½ in 200 mm	CODE	DESCRIPTION	TIPSIZE	LENGTH
08-0017 Forceps, Non-Insulated 0.5 mm $7\frac{1}{8}$ in 181 mm 08-0018 Forceps, Non-Insulated 0.7 mm $7\frac{1}{8}$ in 181 mm 08-0019 Forceps, Non-Insulated 1.0 mm $7\frac{1}{8}$ in 181 mm 08-0024 Forceps, Non-Insulated 1.3 mm $7\frac{1}{8}$ in 181 mm 08-0022 Forceps, Non-Insulated 0.7 mm $7\frac{1}{8}$ in 200 mm 08-0025 Forceps, Non-Insulated 1.3 mm $7\frac{1}{8}$ in 200 mm 08-0023I Forceps, Insulated 0.7 mm $7\frac{1}{8}$ in 200 mm	08-0015	Forceps, Non-Insulated	0.7 mm	6¼ in 159 mm
08-0018Forceps, Non-Insulated0.7 mm $7\frac{1}{2}$ in 181 mm08-0019Forceps, Non-Insulated1.0 mm $7\frac{1}{2}$ in 181 mm08-0024Forceps, Non-Insulated1.3 mm $7\frac{1}{2}$ in 181 mm08-0022Forceps, Non-Insulated0.7 mm $7\frac{1}{2}$ in 200 mm08-0025Forceps, Non-Insulated1.3 mm $7\frac{1}{2}$ in 200 mm08-0023IForceps, Insulated0.7 mm $7\frac{1}{2}$ in 200 mm	08-0016	Forceps, Non-Insulated	0.7 mm	6¼ in 159 mm
08-0019 Forceps, Non-Insulated 1.0 mm 7½ in 181 mm 08-0024 Forceps, Non-Insulated 1.3 mm 7½ in 181 mm 08-0022 Forceps, Non-Insulated 0.7 mm 7½ in 200 mm 08-0025 Forceps, Non-Insulated 1.3 mm 7½ in 200 mm 08-0023I Forceps, Insulated 0.7 mm 7½ in 200 mm	08-0017	Forceps, Non-Insulated	0.5 mm	7½ in 181 mm
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	08-0018	Forceps, Non-Insulated	0.7 mm	7½ in 181 mm
08-0022 Forceps, Non-Insulated 0.7 mm 7½ in 200 mm 08-0025 Forceps, Non-Insulated 1.3 mm 7½ in 200 mm 08-0023I Forceps, Insulated 0.7 mm 7½ in 200 mm	08-0019	Forceps, Non-Insulated	1.0 mm	7½ in 181 mm
08-0025 Forceps, Non-Insulated 1.3 mm 7% in 200 mm 08-0023I Forceps, Insulated 0.7 mm 7% in 200 mm	08-0024	Forceps, Non-Insulated	1.3 mm	7½ in 181 mm
08-0023I Forceps, Insulated 0.7 mm 7½ in 200 mm	08-0022	Forceps, Non-Insulated	0.7 mm	7% in 200 mm
	08-0025	Forceps, Non-Insulated	1.3 mm	7% in 200 mm
08-0025I Forceps, Insulated 1.3 mm 7\% in 200 mm	08-00231	Forceps, Insulated	0.7 mm	7% in 200 mm
	08-00251	Forceps, Insulated	1.3 mm	7% in 200 mm



Yasargil Bayonet Bipolar Forceps, Irrigating

Reusable, Flat Handle, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGTH
08-0022IG	Forceps, Insulated	0.7 mm	7½ in 181 mm
08-0023IG	Forceps, Insulated	1.0 mm	7% in 200 mm



Adson Bipolar Forceps, Smooth Tip

Reusable, Smooth Tips, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGTH
08-0004	Forceps, Non-Insulated	1.0 mm	4 ¾ in 121 mm
10-1082	Forceps, Non-Insulated	1.0 mm	5 in 127 mm
08-00041	Forceps, Insulated	1.0 mm	4 ¾ in 121 mm
10-10821	Forceps, Insulated	1.0 mm	5 in 127 mm



Adson Bipolar Forceps, Smooth Tip, with Midas Touch® Non-Stick Tips

Reusable, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENG	GTH
90-2001	Forceps, Insulated	0.5 mm	5 in	127 mm
90-2000	Forceps, Insulated	1.0 mm	5 in	127 mm



Adson Bipolar Forceps, Serrated Tip

Reusable, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGTH
10-1081	Forceps, Non-Insulated	1.0 mm	5 in 127 mm
10-10811	Forceps, Insulated	1.0 mm	5 in 127 mm



Adson Bipolar Forceps, Irrigating

Reusable, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGTH
10-02011	Insulated, with Stylet	0.5 mm	5 in 127 mm
10-02001	Insulated, with Stylet	1.0 mm	5 in 127 mm





Coaption Bipolar Forceps

Reusable, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGTH
08-0008	Forceps, Non-Insulated	Micro	4¼in 108 mm
08-0048	Forceps, Non-Insulated	0.4 mm	4¼in 108 mm
10-1011	Forceps, Non-Insulated	Micro	4½in 114mm
10-10111	Forceps, Insulated	Micro	4½ in 114 mm



Cushing Bipolar Forceps

Reusable, Smooth Tips, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGT	TH
10-1160	Forceps, Non-Insulated	1.0 mm	7¼in	184 mm
10-1162	Forceps, Non-Insulated	1.5 mm	7½ in	184 mm
08-0010	Forceps, Non-Insulated	1.5mm	7⅓in	181 mm
10-11601	Forceps, Insulated	1.0 mm	7¼ in	184 mm
10-11621	Forceps, Insulated	1.5 mm	7¼ in	184 mm



Gerald Bipolar Forceps

Reusable, Smooth Tips, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGT	LENGTH	
08-0012	Forceps, Non-Insulated	1.0 mm	7 in	178 mm	
10-1180	Forceps, Non-Insulated	1.0 mm	7¼ in	184 mm	
08-0013	Forceps, Non-Insulated	1.0 mm	7¼ in	184 mm	
10-11801	Forceps, Insulated	1.0 mm	7¼in	184 mm	



Replacement Stylets for Irrigating Bipolar Forceps

CODE	DESCRIPTION	LENGTH	QTY
08-1130	Accessory		12/Box
60-0300	Accessory	10 ¼ in 260 mn	n 5/Box



Jewelers Bipolar Forceps

Reusable, Insulated, Smooth Tips, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGT	Н
80004	Forceps, Straight	Micro	4¼in	108 mm
80003	Forceps, Straight	0.5 mm	4¼in	108 mm
80002	Forceps, Straight	1.0 mm	4¼in	108 mm
80001	Forceps, Straight	1.5 mm	4¼in	108 mm
80000	Forceps, Straight	2.0 mm	4¼in	108 mm
80104	Forceps, Curved	Micro	5 in	127 mm
80103	Forceps, Curved	0.5 mm	5 in	127 mm
80102	Forceps, Curved	1.0 mm	5 in	127 mm
80101	Forceps, Curved	1.5 mm	5 in	127 mm
80100	Forceps, Curved	2.0 mm	5 in	127 mm



Jewelers Bipolar Forceps

 $Reusable, Non-Insulated, Smooth\,Tips, 1\,Each$

CODE	DESCRIPTION	TIPSIZE	LENGT	TH
10-1061	Forceps, Straight	Micro	4½ in	114 mm
10-1062	Forceps, Straight	Blunt	4½ in	114 mm
08-0002	Forceps, Curved	0.4 mm	4 in	102 mm
08-0005	Forceps, Curved	0.4 mm	4 in	102 mm



Jewelers Bipolar Forceps

Reusable, Insulated, Smooth Tips, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGTH
10-10611	Forceps, Straight	Micro	4½in 114 mm
10-10621	Forceps, Straight	Blunt	4½in 114 mm
08-00011	Forceps, Straight	0.4 mm	4½ in 114 mm



Jewelers Bipolar Forceps, with Midas Touch® Non-Stick Tips

Reusable, Smooth Tips, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGTH
90-1000	Forceps, Insulated	Micro	45% in 117 mm





Jewelers Bipolar Forceps, Ridged Handle, Angled

Reusable, Smooth Tips, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGTH
10-1202	Forceps, Non-Insulated	0.75 mm	4½in 114mm
10-12021	Forceps, Insulated	0.75 mm	4½in 114mm

Jewelers Bipolar Forceps, Ridged Handle, Straight

Reusable, Smooth Tips, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGT	Н
10-1203	Forceps, Non-Insulated	Micro	3% in	99 mm
10-12031	Forceps, Insulated	Micro	3 ½ in	99 mm



McPherson Bipolar Forceps, Angled

Reusable, Smooth Tips, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGT	Н
08-0007	Forceps, Non-Insulated	0.5 mm	3¾ in	95 mm
10-1200	Forceps, Non-Insulated	0.5 mm	3% in	99 mm
10-1021	Forceps, Non-Insulated	0.5 mm	4 in	102 mm
08-00071	Forceps, Insulated	0.5 mm	3¾in	95 mm
10-12001	Forceps, Insulated	0.5 mm	3% in	99 mm
10-10211	Forceps, Insulated	0.5 mm	4 in	102 mm



McPherson Bipolar Forceps, Straight

Reusable, Smooth Tips, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGT	Н
10-1201	Forceps, Non-Insulated	0.5 mm	3%in	99 mm
10-12011	Forceps, Insulated	0.5 mm	3% in	99 mm



Potts-Smith Bipolar Forceps

Reusable, Smooth Tips, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGTH
80404	Forceps, Insulated	Micro	7½in 191mm
80403	Forceps, Insulated	0.5 mm	7½in 191 mm
80402	Forceps, Insulated	1.0 mm	7½in 191mm
80401	Forceps, Insulated	1.5 mm	7½in 191mm
80400	Forceps, Insulated	2.0 mm	7½in 191mm





Semkin Bipolar Forceps

Reusable, Smooth Tips, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGT	H
10-1091	Forceps, Non-Insulated	0.75 mm	5¾ in	146 mm
10-1191	Forceps, Non-Insulated	1.0 mm	5¾ in	146 mm
10-10911	Forceps, Insulated	0.75 mm	5¾ in	146 mm
10-11911	Forceps, Insulated	1.0 mm	5¾ in	146 mm



Semkin Bipolar Forceps, with Midas Touch® Non-Stick Tips

Reusable, Smooth Tips, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGTH
90-3000	Forceps, Insulated	0.75 mm	5¾in 146mm



Titanium Jewelers Bipolar Forceps

Reusable, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGT	TH
08-0052	30° Tip	0.4 mm	3½in	89 mm
08-0056	90° Tip	0.4 mm	4½in	108 mm

Titanium Jewelers Bipolar Forceps, Curved

Reusable, 1 Each


CODE	DESCRIPTION	TIPSIZE	LENGT	H
08-0053	Titanium Forceps	0.4 mm	3½in	89 mm

Titanium Jewelers Bipolar Forceps, Straight

Reusable, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGT	Ή
08-0054	Titanium Forceps	0.4 mm	3½in	89 mm
08-0057	Titanium Forceps	0.4 mm	4½in	108 mm





Monopolar Forceps

Single-Use, Insulated, Serrated Tips, Uses 960 Series Adapter, 10 per Box

Length (L)	8 in 203 mm	8½ in 216 mm	8¼in 210 mm	7½in 191 mm
Working (WL)		4½ in 105 mm	4¼in 108 mm	3 in 76 mm
Tip Style	Straight	Straight	Straight	Cathedral
Forceps Style	Potts-Smith	Bayonet	Bayonet	Bayonet
TIPSIZE	FOOT-ACTIVATED ¹	FOOT-ACTIVATED ¹	HAND-CONTROLLED ²	HAND-CONTROLLED ²
1.5 mm	20-2650K	20-2920K	20-2920HK	20-2960HK

 $^{^{1}}Foot-activated forceps include a 10\,ft (3.0m) \,attached \,cord \,with \,crimped \,wire \,generator \,end.$

 $^{^2} Hand-controlled forceps include 10 \, ft \, (3.0m) \, attached \, cord \, with \, molded \, generator \, plug.$



Olsen® Reusable Bayonet Monopolar Forceps



Bayonet Monopolar Forceps, Foot-Activated, Straight

Reusable, Threaded Connector, Serrated Tips, 1 Each

Length (L)	6¾in 171 mm	7¾in 197mm	8 in 203 mm	8½in 216mm
Working (WL)	3½ in 79 mm	3% in 99 mm	3 in 76 mm	4¾in 121 mm
TIPSIZE	INSULATED	INSULATED	INSULATED	INSULATED
0.5 mm	41103	41203	41403	41605
1.0 mm	41102	41202	41402	41604
1.5 mm	41101	41201	41401	41602
2.0 mm	41100	41200	41400	41601



Bayonet Monopolar Forceps, Hand-Controlled

Reusable, Serrated Tips, Insulated with 10 ft (3.0 m) Attached Cord, 1 Each

Length (L)	6½ in 165 mm	8¼in 210 mm	7½ in 191 mm	7½ in 191 mm
Working (WL)	3¼in 83mm	3½ in 89 mm	3¾in 95mm	3¾in 95mm
TIPSIZE	SERRATED TIP	SERRATED TIP	STRAIGHT	CATHEDRAL
0.5 mm	11104	11605	11206	11213
1.0 mm	11102	11604	11205	11212
1.5 mm	11101	11602	11204	11210
2.0 mm	11100	11600	11200	11208



Olsen® Reusable Bayonet Monopolar Forceps



Bayonet Monopolar Forceps, Foot-Activated, Curved Up

Reusable, Threaded Connector, Serrated Tips, 1 Each

7¾in 197mm	8½ in 216 mm
3% in 99 mm	4¾in 121 mm
INSULATED	INSULATED
41302	41703
41304	41702
41301	41701
41300	41700
	NSULATED 11302 11304

Product Complaint? Call 800-251-3000

Patient safety is our #1 priority. We are committed to delivering exceptional quality and service. Compliance with domestic and international medical device regulations is strictly maintained at all times.

Product complaints are addressed promptly by our Complaint Handling Team. Contact Customer Service and request a Return Material Authorization (RMA) to begin the investigation process. Please return the instrument (with the original package and label – if available) along with the RMA form.

A representative will contact you within 48 hours of receiving the returned instrument with details regarding the steps we will take to ensure you and your patients are satisfied with the instruments you purchase from us.





Single-use products are sold sterile. Kits Include Forceps, 12 ft (3.6 m) Cord and Surgi-Wipe.

Olsen® Reusable Monopolar Forceps

Adson Monopolar Forceps, Hand-Controlled

Reusable, Serrated Tips, Insulated, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGTH
12204	10 ft (3.0 m) Attached Cord	Micro	4¾in 121mm
12203	10 ft (3.0 m) Attached Cord	0.5 mm	4¾in 121mm
12202	10 ft (3.0 m) Attached Cord	1.0 mm	4¾in 121mm
12200	10 ft (3.0 m) Attached Cord	2.0 mm	4¾in 121mm



Adson Monopolar Forceps, Foot-Controlled

Reusable, Threaded Connector, Serrated Tips, Insulated, 1 Each

42505 Monopolar Forceps, Insulated	0.5 mm	E1/:- 122
	0.0111111	5¼ in 133 mm
42503 Monopolar Forceps, Insulated	1.0 mm	5¼ in 133 mm
42502 Monopolar Forceps, Insulated	1.5 mm	5¼ in 133 mm
42500 Monopolar Forceps, Insulated	2.0 mm	5¼ in 133 mm



Cushing Monopolar Forceps, Hand-Controlled

Reusable, Serrated Tips, Insulated, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGTH
12103	10 ft (3.0 m) Attached Cord	0.5 mm	7 in 178 mm
12102	10 ft (3.0 m) Attached Cord	1.0 mm	7 in 178 mm
12101	10 ft (3.0 m) Attached Cord	1.5 mm	7 in 178 mm
12100	10 ft (3.0 m) Attached Cord	2.0 mm	7 in 178 mm



Jewelers Monopolar Forceps, Foot-Activated

Reusable, Threaded Connector, Serrated Tips, Insulated, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGTH
43104	Insulated, Straight	Micro	4¾ in 121 mm
43110	Insulated, Straight	Micro	4¾ in 121 mm
43103	Insulated, Straight	0.5 mm	4¾ in 121 mm
43109	Insulated, Straight	0.5 mm	4¾ in 121 mm
43204	Insulated, Curved	Micro	4¾ in 121 mm
43203	Insulated, Curved	0.5 mm	4¾ in 121 mm





Olsen® Reusable Monopolar Forceps

Potts-Smith Monopolar Forceps, Hand-Controlled

Reusable, Serrated Tips, Insulated, 1 Each

11804 10 ft (3.0 m) Attached Cord 0.5 mm 7 in 178 mm 11803 10 ft (3.0 m) Attached Cord 1.0 mm 7 in 178 mm 11802 10 ft (3.0 m) Attached Cord 1.5 mm 7 in 178 mm 11800 10 ft (3.0 m) Attached Cord 2.0 mm 7 in 178 mm 11906 10 ft (3.0 m) Attached Cord 0.5 mm 8½ in 210 mm 11904 10 ft (3.0 m) Attached Cord 1.5 mm 8½ in 210 mm 11903 10 ft (3.0 m) Attached Cord 2.0 mm 8½ in 210 mm 12000 10 ft (3.0 m) Attached Cord 2.0 mm 9½ in 241 mm 12003 10 ft (3.0 m) Attached Cord 1.5 mm 9½ in 241 mm 12004 10 ft (3.0 m) Attached Cord 1.0 mm 9½ in 241 mm 12005 10 ft (3.0 m) Attached Cord 0.5 mm 9½ in 241 mm	CODE	DESCRIPTION	TIPSIZE	LENG	ТН
11802 10 ft (3.0 m) Attached Cord 1.5 mm 7 in 178 mm 11800 10 ft (3.0 m) Attached Cord 2.0 mm 7 in 178 mm 11906 10 ft (3.0 m) Attached Cord 0.5 mm 8½ in 210 mm 11904 10 ft (3.0 m) Attached Cord 1.0 mm 8½ in 210 mm 11903 10 ft (3.0 m) Attached Cord 1.5 mm 8¼ in 210 mm 11901 10 ft (3.0 m) Attached Cord 2.0 mm 8¼ in 210 mm 12000 10 ft (3.0 m) Attached Cord 2.0 mm 9½ in 241 mm 12003 10 ft (3.0 m) Attached Cord 1.5 mm 9½ in 241 mm 12004 10 ft (3.0 m) Attached Cord 1.0 mm 9½ in 241 mm	11804	10 ft (3.0 m) Attached Cord	0.5 mm	7 in	178 mm
11800 10 ft (3.0 m) Attached Cord 2.0 mm 7 in 178 mm 11906 10 ft (3.0 m) Attached Cord 0.5 mm 8½ in 210 mm 11904 10 ft (3.0 m) Attached Cord 1.0 mm 8½ in 210 mm 11903 10 ft (3.0 m) Attached Cord 1.5 mm 8½ in 210 mm 11901 10 ft (3.0 m) Attached Cord 2.0 mm 8½ in 210 mm 12000 10 ft (3.0 m) Attached Cord 2.0 mm 9½ in 241 mm 12003 10 ft (3.0 m) Attached Cord 1.5 mm 9½ in 241 mm 12004 10 ft (3.0 m) Attached Cord 1.0 mm 9½ in 241 mm	11803	10 ft (3.0 m) Attached Cord	1.0 mm	7 in	178 mm
11906 10 ft (3.0 m) Attached Cord 0.5 mm 8½ in 210 mm 11904 10 ft (3.0 m) Attached Cord 1.0 mm 8¼ in 210 mm 11903 10 ft (3.0 m) Attached Cord 1.5 mm 8¼ in 210 mm 11901 10 ft (3.0 m) Attached Cord 2.0 mm 8¼ in 210 mm 12000 10 ft (3.0 m) Attached Cord 2.0 mm 9½ in 241 mm 12003 10 ft (3.0 m) Attached Cord 1.5 mm 9½ in 241 mm 12004 10 ft (3.0 m) Attached Cord 1.0 mm 9½ in 241 mm	11802	10 ft (3.0 m) Attached Cord	1.5 mm	7 in	178 mm
11904 10 ft (3.0 m) Attached Cord 1.0 mm 8¼ in 210 mm 11903 10 ft (3.0 m) Attached Cord 1.5 mm 8¼ in 210 mm 11901 10 ft (3.0 m) Attached Cord 2.0 mm 8¼ in 210 mm 12000 10 ft (3.0 m) Attached Cord 2.0 mm 9½ in 241 mm 12003 10 ft (3.0 m) Attached Cord 1.5 mm 9½ in 241 mm 12004 10 ft (3.0 m) Attached Cord 1.0 mm 9½ in 241 mm	11800	10 ft (3.0 m) Attached Cord	2.0 mm	7 in	178 mm
11903 10 ft (3.0 m) Attached Cord 1.5 mm 8¼ in 210 mm 11901 10 ft (3.0 m) Attached Cord 2.0 mm 8¼ in 210 mm 12000 10 ft (3.0 m) Attached Cord 2.0 mm 9½ in 241 mm 12003 10 ft (3.0 m) Attached Cord 1.5 mm 9½ in 241 mm 12004 10 ft (3.0 m) Attached Cord 1.0 mm 9½ in 241 mm	11906	10 ft (3.0 m) Attached Cord	0.5 mm	8¼in	210 mm
11901 10 ft (3.0 m) Attached Cord 2.0 mm 8½ in 210 mm 12000 10 ft (3.0 m) Attached Cord 2.0 mm 9½ in 241 mm 12003 10 ft (3.0 m) Attached Cord 1.5 mm 9½ in 241 mm 12004 10 ft (3.0 m) Attached Cord 1.0 mm 9½ in 241 mm	11904	10 ft (3.0 m) Attached Cord	1.0 mm	8¼in	210 mm
12000 10 ft (3.0 m) Attached Cord 2.0 mm 9½ in 241 mm 12003 10 ft (3.0 m) Attached Cord 1.5 mm 9½ in 241 mm 12004 10 ft (3.0 m) Attached Cord 1.0 mm 9½ in 241 mm	11903	10 ft (3.0 m) Attached Cord	1.5 mm	8¼in	210 mm
12003 10 ft (3.0 m) Attached Cord 1.5 mm 9½ in 241 mm 12004 10 ft (3.0 m) Attached Cord 1.0 mm 9½ in 241 mm	11901	10 ft (3.0 m) Attached Cord	2.0 mm	8¼in	210 mm
12004 10 ft (3.0 m) Attached Cord 1.0 mm 9½ in 241 mm	12000	10 ft (3.0 m) Attached Cord	2.0 mm	9½in	241 mm
	12003	10 ft (3.0 m) Attached Cord	1.5 mm	9½in	241 mm
12005 10 ft (3.0 m) Attached Cord 0.5 mm 9½ in 241 mm	12004	10 ft (3.0 m) Attached Cord	1.0 mm	9½in	241 mm
	12005	10 ft (3.0 m) Attached Cord	0.5 mm	9½in	241 mm

Potts-Smith Monopolar Forceps, Foot-Controlled

Reusable, Serrated Tips, Insulated, 1 Each

CODE	TIPSIZE	LENGTH
42203	0.5 mm	7½in 191 mm
42202	1.0 mm	7½ in 191 mm
42201	1.5 mm	7½ in 191 mm
42200	2.0 mm	7½ in 191 mm
42304	0.5 mm	8½in 216 mm
42302	1.0 mm	8½in 216 mm
42301	1.5 mm	8½in 216 mm
42300	2.0 mm	8½ in 216 mm
42405	0.5 mm	9¾in 248mm
42404	1.0 mm	9¾in 248 mm
42402	1.5 mm	9¾in 248mm
42400	2.0 mm	9¾in 248 mm



Olsen® Monopolar Electrodes



Ball Electrodes, 1/8 in (3.2 mm) Ball

Reusable, Straight, 1 Each

CODE	DESCRIPTION	LENGT	ГН
66200	Straight Ball Electrode	2 in	51 mm
66214	Straight Ball Electrode	3 in	76 mm
66202	Straight Ball Electrode	4 in	102 mm
66204	Straight Ball Electrode	5 in	127 mm
66212	Straight Ball Electrode	5½ in	140 mm
66206	Straight Ball Electrode	6 in	152 mm
66208	Straight Ball Electrode	7 in	178 mm
66210	Straight Ball Electrode	8 in	203 mm

Ball Electrodes, 3/16 in (4.8 mm) Ball

Reusable, Straight, 1 Each

CODE	DESCRIPTION	LENG	ГН
66201	Straight Ball Electrode	2 in	51 mm
66215	Straight Ball Electrode	3 in	76 mm
66203	Straight Ball Electrode	4 in	102 mm
66205	Straight Ball Electrode	5 in	127 mm
66213	Straight Ball Electrode	5½ in	140 mm
66207	Straight Ball Electrode	6 in	152 mm
66209	Straight Ball Electrode	7 in	178 mm
66211	Straight Ball Electrode	8 in	203 mm

Ball Electrodes

Single-Use, Straight

CODE	DESCRIPTION	LENGTI	4	QTY
97200	Straight Ball Electrode	2¾ in	70 mm	50
97201	Straight Ball Electrode	5 in	127 mm	25

Ball Electrodes, with Midas Touch® Non-Stick

Single-Use, Straight

CODE	DESCRIPTION	LENGTH		QTY
30-2001	Straight Ball Electrode	2¾ in	70 mm	10
30-2003	Straight Ball Electrode	5 in	127 mm	10

Blade Electrodes, Straight

Reusable, Standard 10 mm Exposure, 1 Each

CODE	DESCRIPTION	LENGTH	
66000	Straight Electrode	2¾ in	70 mm
66001	Straight Electrode	4 in	102 mm
66002	Straight Electrode	5 in	127 mm
66003	Straight Electrode	6 in	152 mm
66004	Straight Electrode	7 in	178 mm
66005	Straight Electrode	8 in	203 mm







Olsen® Monopolar Electrodes

Blade Electrodes, Angled

Reusable, Standard 10 mm Exposure, 1 Each

CODE	DESCRIPTION	LENGT	Н
66006	Angled Electrode	2¾ in	70 mm
66007	Angled Electrode	4 in	102 mm
66008	Angled Electrode	5 in	127 mm
66009	Angled Electrode	6 in	152 mm
66010	Angled Electrode	7 in	178 mm
66011	Angled Electrode	8 in	203 mm
66014	Angled Electrode	11 in	279 mm



Blade Electrodes, Short/Close-Up

Reusable, Standard 10 mm Exposure, 1 Each


DESCRIPTION	LENG	ГН
Stainless Steel Standard Blade	2 in	51 mm
Stainless Steel Blunt Blade	2 in	51 mm
Stainless Steel Modified Blade	2½in	64 mm
Titanium Standard Blade	2½ in	64 mm
	Stainless Steel Standard Blade Stainless Steel Blunt Blade Stainless Steel Modified Blade	Stainless Steel Standard Blade 2 in Stainless Steel Blunt Blade 2 in Stainless Steel Modified Blade 2½ in



Blade Electrodes, Straight

Reusable, 1 Each

CODE	DESCRIPTION	LENGTH	4	EXPOSURE
68000	Straight Electrode	2¾ in	70 mm	2.0 mm
68001	Straight Electrode	2¾ in	70 mm	3.0 mm
68003	Straight Electrode	2¾ in	70 mm	5.0 mm
68002	Straight Electrode	4 in	102 mm	2.0 mm
68004	Straight Electrode	4 in	102 mm	6.0 mm
68006	Straight Electrode	4½ in	114 mm	2.0 mm
68005	Straight Electrode	6 in	152 mm	2.0 mm





Olsen® Monopolar Electrodes

Nasal Needle Electrode

Reusable, 1 Each

Laparoscopic Monopolar Electrode

Reusable

CODE	DESCRIPTION	LENGTH	
90-9522	L-Hook	12½in	320 mm
90-9523	Spatula	12½in	320 mm
90-9525	J-Hook	12½in	320 mm
90-9526	Needle	12½in	320 mm
90-9527	Button Tip	12½in	320 mm

Laparoscopic Monopolar Suction/Irrigation Electrode

Reusable, 5.0 mm Shaft, with Valve, Fully Insulated

CODE	DESCRIPTION	LENGTH
90-4005	J-Hook	12½in 320 mm
90-4010	Button Tip	12½in 320 mm
90-4012	L-Hook	12½in 320 mm
90-4015	Spatula	12½in 320 mm



Monopolar Electrodes

Rectal Snare

Insulated

CODE	DESCRIPTION	LENGTH
50-9731	Monopolar Instrument, Bayonet Shape	11¾in 298 mm

Wire Loop for Rectal Snare

CODE	DESCRIPTION	LENGTH
50-9749	Loop Electrode	11¾ in 298 mm

Claw Grasper

Direct Drive, Monopolar Laparoscopy Forceps, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH	
94-1005L-26	Locking Handle	10 ¼ in	26 cm
94-1005L	Locking Handle	13 in	33 cm
94-1005L-45	Locking Handle	17¾ in	45 cm

Dolphin Nose Dissector

CODE	DESCRIPTION	LENGTH	
94-1030-26	Non-Locking Handle	10 ¼ in	26 cm
94-1030	Non-Locking Handle	13 in	33 cm
94-1030-45	Non-Locking Handle	17¾ in	45 cm



Grasper

Direct Drive, Monopolar Laparoscopy Forceps, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH	1
94-1032L-26	Locking Handle	10 ½ in	26 cm
94-1032L	Locking Handle	13 in	33 cm
94-1032L-45	Locking Handle	17¾ in	45 cm
94-1032-26	Non-Locking Handle	10 ½ in	26 cm
94-1032	Non-Locking Handle	13 in	33 cm
94-1032-45	Non-Locking Handle	17¾ in	45 cm



Bullet Nose Dissector

Monopolar Laparoscopy Forceps, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH	4
94-1033L-26	Locking Handle	10 ¼ in	26 cm
94-1033L	Locking Handle	13 in	33 cm
94-1033L-45	Locking Handle	17¾ in	45 cm
94-1033-26	Non-Locking Handle	10 ¼ in	26 cm
94-1033	Non-Locking Handle	13 in	33 cm
94-1033-45	Non-Locking Handle	17¾ in	45 cm



Dolphin Nose Grasper

Monopolar Laparoscopy Forceps, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH	
94-1034-26	Non-Locking Handle	10 ¼ in	26 cm
94-1034	Non-Locking Handle	13 in	33 cm
94-1034-45	Non-Locking Handle	17¾ in	45 cm





Cup Tooth Grasper

Direct Drive, Monopolar Laparoscopy Forceps, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH	1
94-1035L-26	Locking Handle	10¼in	26 cm
94-1035L	Locking Handle	13 in	33 cm
94-1035L-45	Locking Handle	17¾ in	45 cm
94-1035-26	Non-Locking Handle	10 ½ in	26 cm
94-1035	Non-Locking Handle	13 in	33 cm
94-1035-45	Non-Locking Handle	17¾ in	45 cm
94-1035SL-26	Slidelock Handle	10 ½ in	26 cm
94-1035SL	Slidelock Handle	13 in	33 cm
94-1035SL-45	Slidelock Handle	17¾ in	45 cm



Micro Fenestrated Grasper

Direct Drive, Monopolar Laparoscopy Forceps, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH	1
94-1044-26	Non-Locking Handle	10¼in	26 cm
94-1044	Non-Locking Handle	13 in	33 cm
94-1044-45	Non-Locking Handle	17¾ in	45 cm



Needle Nose Dissector

CODE	DESCRIPTION	LENGTH	
94-1045-26	Non-Locking Handle	10¼in	26 cm
94-1045	Non-Locking Handle	13 in	33 cm
94-1045-45	Non-Locking Handle	17 ¾ in	45 cm



Fundus Tri-Max Grasper

Monopolar Laparoscopy Forceps, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH	
94-1050L-26	Locking Handle	10¼in	26 cm
94-1050L	Locking Handle	13 in	33 cm
94-1050L-45	Locking Handle	17¾ in	45 cm

Wave Grasper

Direct Drive, Monopolar Laparoscopy Forceps, 5.0 mm, Insulated

Alligator Grasper

CODE	DESCRIPTION	LENGTH
94-1052L-26	Locking Handle	10 ¼ in 26 cm
94-1052L	Locking Handle	13 in 33 cm
94-1052L-45	Locking Handle	17¾ in 45 cm



Atraumatic Grasper

Direct Drive, Monopolar Laparoscopy Forceps, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH	
94-1053L-26	Locking Handle	10¼in	26 cm
94-1053L	Locking Handle	13 in	33 cm
94-1053L-45	Locking Handle	17¾ in	45 cm
94-1053SL-26	Slidelock Handle	10¼in	26 cm
94-1053SL	Slidelock Handle	13 in	33 cm
94-1053SL-45	Slidelock Handle	17¾ in	45 cm



Retraction Grasper

Monopolar Laparoscopy Forceps, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH	
94-1056L-26	Locking Handle	10 ¼ in	26 cm
94-1056L	Locking Handle	13 in	33 cm
94-1056L-45	Locking Handle	17¾ in	45 cm
94-1056-26	Non-Locking Handle	10 ½ in	26 cm
94-1056	Non-Locking Handle	13 in	33 cm
94-1056-45	Non-Locking Handle	17¾ in	45 cm



Right Angle Dissector

CODE	DESCRIPTION	LENGTH	1
94-1063-26	Non-Locking Handle	10¼in	26 cm
94-1063	Non-Locking Handle	13 in	33 cm
94-1063-45	Non-Locking Handle	17¾ in	45 cm





Soft Curve Dissector

Direct Drive, Monopolar Laparoscopy Forceps, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH	1
94-1064-26	Non-Locking Handle	10 ¼ in	26 cm
94-1064	Non-Locking Handle	13 in	33 cm
94-1064-45	Non-Locking Handle	17 ¾ in	45 cm



Mixter Right Angle Dissector

Direct Drive, Monopolar Laparoscopy Forceps, 5.0 mm, Insulata

CODE	DESCRIPTION	LENGTH	4
94-1066-26	Non-Locking Handle	10¼in	26 cm
94-1066	Non-Locking Handle	13 in	33 cm
94-1066-45	Non-Locking Handle	17¾ in	45 cm



Maryland Dissector

CODE	DESCRIPTION	LENGTH	1
94-1067L-26	Locking Handle	10 ¼ in	26 cm
94-1067L	Locking Handle	13 in	33 cm
94-1067L-45	Locking Handle	17¾ in	45 cm
94-1067-26	Non-Locking Handle	10 ¼ in	26 cm
94-1067	Non-Locking Handle	13 in	33 cm
94-1067-45	Non-Locking Handle	17¾ in	45 cm



Cobra Tooth Grasper

Direct Drive, Monopolar Laparoscopy Forceps, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH	1
94-1069L-26	Locking Handle	10 ½ in	26 cm
94-1069L	Locking Handle	13 in	33 cm
94-1069L-45	Locking Handle	17¾ in	45 cm



Allis Grasper

Direct Drive, Monopolar Laparoscopy Forceps, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH	
94-1078L-26	Locking Handle	10 ¼ in	26 cm
94-1078L	Locking Handle	13 in	33 cm
94-1078L-45	Locking Handle	17¾ in	45 cm
94-1078SL-26	Slidelock Handle	10 ¼ in	26 cm
94-1078SL	Slidelock Handle	13 in	33 cm
94-1078SL-45	Slidelock Handle	17 ¾ in	45 cm



Allis Single Grasper

Direct Drive, Monopolar Laparoscopy Forceps, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH
94-1088L-26	Locking Handle	10¼in 26cm
94-1088L	Locking Handle	13 in 33 cm
94-1088L-45	Locking Handle	17 ³ / ₄ in 45 cm

Babcock Grasper

CODE	DESCRIPTION	LENGTH	
94-1089L-26	Locking Handle	10 ¼ in	26 cm
94-1089L	Locking Handle	13 in	33 cm
94-1089L-45	Locking Handle	17¾ in	45 cm
94-1089SL-26	Slidelock Handle	10 ¼ in	26 cm
94-1089SL	Slidelock Handle	13 in	33 cm
94-1089SL-45	Slidelock Handle	17¾ in	45 cm





DeBakey Grasper

Direct Drive, Monopolar Laparoscopy Forceps, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH		
94-1091-26	Locking Handle	10 ¼ in	26 cm	
94-1091	Locking Handle	13 in	33 cm	
94-1091-45	Locking Handle	17 ¾ in	45 cm	
			-9	
			/	

DeBakey Grasper

 ${\tt Direct\,Drive,Monopolar\,Laparoscopy\,Forceps,5.0\,mm,Insulated}$

DeBakey Long Grasper

CODE	DESCRIPTION	LENGTH				~
94-1092L-26	Locking Handle	10 ¼ in	26 cm	_		
94-1092L	Locking Handle	13 in	33 cm			~~
94-1092L-45	Locking Handle	17¾ in	45 cm	_		0
94-1092SL-26	Slidelock Handle	10 ¼ in	26 cm			
94-1092SL	Slidelock Handle	13 in	33 cm			
94-1092SL-45	Slidelock Handle	17¾ in	45 cm		250	
			1			



"Hunter Type" Bowel Grasper

Direct Drive, Monopolar Laparoscopy Forceps, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH	1
94-1093L-26	Locking Handle	10 ¼ in	26 cm
94-1093L	Locking Handle	13 in	33 cm
94-1093L-45	Locking Handle	17¾ in	45 cm
94-1093-26	Non-Locking Handle	10 ¼ in	26 cm
94-1093	Non-Locking Handle	13 in	33 cm
94-1093-45	Non-Locking Handle	17¾ in	45 cm



Metzenbaum Scissors

Direct Drive, Monopolar Laparoscopy Scissors, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH	4
94-2006-26	Non-Locking Handle	10 ¼ in	26 cm
94-2006	Non-Locking Handle	13 in	33 cm
94-2006-45	Non-Locking Handle	17 ¾ in	45 cm



Straight Scissors

Direct Drive, Monopolar Laparoscopy Scissors, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH	ł
94-2009-26	Non-Locking Handle	10¼in	26 cm
94-2009	Non-Locking Handle	13 in	33 cm
94-2009-45	Non-Locking Handle	17¾ in	45 cm

Hook Scissors

CODE	DESCRIPTION	LENGTH	1
94-2020-26	Non-Locking Handle	10 ¼ in	26 cm
94-2020	Non-Locking Handle	13 in	33 cm
94-2020-45	Non-Locking Handle	17 ¾ in	45 cm



Accu-SPIN[™] Bottle Nose Dissecting Forcep

Monopolar Laparoscopy Forceps, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH
97-1030RC	Non-Locking Handle	12½ in 32 cm



Accu-SPIN[™] Cup Tooth Dissecting Forceps

Monopolar Laparoscopy Forceps, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH
97-1035RC	Non-Locking Handle	12½ in 32 cm

Accu-SPIN[™] Micro Fenestrated Forceps

Monopolar Laparoscopy Forceps, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH
97-1042RC	Non-Locking Handle	12½ in 32 cm



Accu-SPIN[™] Maryland Dissecting Forceps

Monopolar Laparoscopy Forceps, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH
97-1067RC	Non-Locking Handle	12½ in 32 cm
97-1067RCL	Non-Locking Handle	17¾ in 45 cm



Accu-CUT[™] Endo Scissors

Monopolar Laparoscopy Scissors, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH
97-2006RC	Non-Locking Handle	12½ in 32 cm
97-2006RCL	Non-Locking Handle	17 ³ / ₄ in 45 cm



Accu-CUT[™] Hook Scissors

Monopolar Laparoscopy Scissors, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH
97-2020RC	Non-Locking Handle	12½ in 32 cm

Insulated Lap Handle

CODE	DESCRIPTION	LENGTH
90-0030	Take Apart	12½ in 32 cm



Bottle Nose Dissecting Forceps

Replacement Jaw Assembly, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH
90-1030B	Take Apart	12½ in 32 cm





Bottle Nose Dissecting Forceps

Monopolar Laparoscopy Forceps, with Insulated Handle, 5.0 mm

CODE	DESCRIPTION	LENGTH
90-10301	Take Apart	12½ in 32 cm
90-1030IL	Take Apart	17 ³ / ₄ in 45 cm



Duckbill Grasping Forceps

Replacement Jaw Assembly, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH
90-10401	Take Apart	12½ in 32 cm
90-1040BL	Take Apart	17¾ in 45 cm



Fenestrated Dissecting Forceps

Replacement Jaw Assembly, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH
90-1042BL	Take Apart	12½ in 32 cm
90-1042B	Take Apart	17¾ in 45 cm



Fenestrated Dissecting Forceps

Monopolar Laparoscopy Forceps, with Insulated Handle, 5.0 mm

CODE	DESCRIPTION	LENGTH
90-10421	Take Apart	12½ in 32 cm
90-1042IL	Take Apart	17¾ in 45 cm





Maryland Dissecting Forceps

Replacement Jaw Assembly, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH
90-1065B	Take Apart	12½ in 32 cm
90-10651	Take Apart	12½ in 32 cm



Mixter Right Angle Dissector

Replacement Jaw Assembly, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH
90-1066B	Take Apart	12½ in 32 cm
90-10661	Take Apart	12½ in 32 cm



Maryland Dissector

Replacement Jaw Assembly, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH
90-1067B	Take Apart	12½ in 32 cm
90-1067BL	Take Apart	12½ in 32 cm



Maryland Dissecting Forceps

Monopolar Laparoscopy Forceps, with Insulated Handle, 5.0 mm

CODE	DESCRIPTION	LENGTH
90-10671	Take Apart	12½ in 32 cm
90-1067IL	Take Apart	17¾in 45cm





Mixter Right Angle Dissector

Monopolar Laparoscopy Forceps, with Insulated Handle, 10 mm


CODE	DESCRIPTION	LENGTH
90-10681	Take Apart	12½ in 32 cm



Insulated Outer Sheath

Take Apart, Insulated

CODE	DESCRIPTION	LENGTH
90-1115	5.0 mm, With Flush Port	12½in 32cm
90-1115L	5.0 mm, With Flush Port	17¾in 45 cm
90-1116	5.0 mm, With Flush Port	12½ in 32 cm
90-1116L	5.0 mm, With Flush Port	17¾in 45cm
90-1117	10 mm, Without Flush Port	12½in 32cm



Bottle Nose Dissecting Forceps

Monopolar Laparoscopy Forceps, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH
90-1030	One-Piece	12½ in 32 cm



Bullet Nose Dissecting Forceps

Monopolar Laparoscopy Forceps, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH
90-1033	One-Piece	12½ in 32 cm





Cup Tooth Dissecting Forceps

Monopolar Laparoscopy Forceps, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH
90-1035	One-Piece	12½ in 32 cm



Duckbill Grasping Forceps

Monopolar Laparoscopy Forceps, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH
90-1040	One-Piece	12½ in 32 cm



Micro Fenestrated Dissecting Forceps

Monopolar Laparoscopy Forceps, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH
90-1044	One-Piece	12½ in 32 cm



Maryland Dissecting Forceps

One-Piece, Monopolar Laparoscopy Forceps, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH
90-1067	5.0 mm	12½ in 32 cm
90-1065	10 mm	12½ in 32 cm



Hook Biopsy Forceps

Monopolar Laparoscopy Forceps, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH
90-1073	One-Piece	12½ in 32 cm



Biopsy Forceps

Monopolar Laparoscopy Forceps, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH
90-1075	One-Piece	12½ in 32 cm



Hook Scissors

Monopolar Laparoscopy Forceps, 5.0 mm, Insulated

CODE	DESCRIPTION	LENGTH
90-2020	One-Piece	12½ in 32 cm





Olsen® Monopolar Blade Electrodes

Blade Electrodes

Single-Use, Straight

CODE	DESCRIPTION	LENGT	Н	QTY
97000	Straight Electrode	2¾ in	70 mm	50
97001	Straight Electrode	6 in	152 mm	25
97002	Straight Electrode	8 in	203 mm	25



Blade Electrodes, with Midas Touch® Non-Stick, Straight

Single-Use, Standard Exposure, 10 per Box

CODE	DESCRIPTION	LENGT	Н
30-0001	Straight Blade Electrode	2¾ in	70 mm
30-0002	Straight Blade Electrode	4 in	102 mm
30-0003	Straight Blade Electrode	5 in	127 mm
30-0004	Straight Blade Electrode	6 in	152 mm



Blade Electrodes, with Midas Touch® Non-Stick, Straight

Single-Use, Modified 2.0 mm Exposure, 10 per Box

CODE	DESCRIPTION	LENGTH
30-1011	Straight Blade Electrode	2¾in 70 mm
30-1012	Straight Blade Electrode	4 in 102 mm
30-1013	Straight Blade Electrode	5 in 127 mm
30-1014	Straight Blade Electrode	6 in 152 mm



Olsen® Electrode Extenders

Electrode Extenders

Reusable, 1 Each

CODE	DESCRIPTION	LENG	TH
67510	Electrode Extender	3 in	76 mm
67511	Electrode Extender	4 in	102 mm
67512	Electrode Extender	5 in	127 mm
67513	Electrode Extender	6 in	152 mm
67516	Electrode Extender	7 in	178 mm
67514	Electrode Extender	8 in	203 mm
67515	Electrode Extender	10 in	254 mm



Ultra[™] Laparoscopic Electrodes

Laparoscopic Monopolar Electrodes

Single-Use, 10 per Box

CODE	DESCRIPTION	LENGTH
90-9525-S	J-Hook	13in 33 cm
90-9525-45S	J-Hook	17 ³ / ₄ 45 cm
90-9522-S	L-Hook	13in 33 cm
90-9522-458	L-Hook	17 ³ / ₄ 45 cm
90-9523-S	Spatula	13in 33 cm
90-9523-45S	Spatula	17 ³ / ₄ 45 cm





Olsen® Monopolar Loop Electrodes

LLETZ Loop Electrodes, 2.2 in (5.6 cm) Length

Reusable, 1 Each

CODE	LOOPSIZE
69504	15 x 10 mm
69503	20 x 10 mm
69507	20 x 15 mm

LLETZ Loop Electrodes, 5 in (12.7 cm) Length

Reusable, 1 Each

CODE	LOOPSIZE
69100	15 x 8.0 mm
69300	20 x 8.0 mm
69000	10 x 10 mm
69505	10 x 12 mm
69500	15 x 12 mm
69400	20 x 12 mm
69200	15 x 15 mm
69506	20 x 15 mm
69502	20 x 20 mm



LLETZ Square Loop Electrodes, 5 in (12.7 cm) Length

Reusable, 1 Each

CODE	LOOPSIZE
69501	10 x 7.0 mm
69001	10 x 10 mm



Loop Electrodes

Reusable, 1 Each

CODE	LOOP SIZE		LENGTH	
66300	⅓ in	3.2 mm	15⁄ ₈ in	41 mm
66301	⅓ in	6.4 mm	13/4 in	44 mm
66302	5∕ ₁₆ in	7.9 mm	1 13/ ₁₆ in	59 mm
66306	5∕ ₁₆ in	7.9 mm	4 5/ ₁₆ in	110 mm
66303	3% in	9.5 mm	1⅓in	48 mm
66307	3% in	9.5 mm	43/8 in	111 mm
66304	½ in	12.7 mm	2.0 in	51 mm
66308	½ in	12.7 mm	4½ in	114 mm
66305	3∕₄ in	19.1 mm	21/4 in	57 mm





Needle Electrodes, Blunt

Reusable, Straight, Standard 10 mm Exposure, 1 Each

Needle Electrodes, Standard

Reusable, Straight, Standard 10 mm Exposure, 1 Each

CODE	DESCRIPTION	LENGT	Н
66101	Standard Needle-Tip Electrode	2¾ in	70 mm
66102	Standard Needle-Tip Electrode	4 in	102 mm
66103	Standard Needle-Tip Electrode	5 in	127 mm
66104	Standard Needle-Tip Electrode	6 in	152 mm
66105	Standard Needle-Tip Electrode	7 in	178 mm
66106	Standard Needle-Tip Electrode	8 in	203 mm

Needle Electrodes, Sharp

Reusable, Straight, 1 Each

CODE DESCRIPTION LENGTH 66107 Sharp Needle-Tip Electrode 2¾ in 70 mm 66108 Sharp Needle-Tip Electrode 4 in 10.2 cm 66109 Sharp Needle-Tip Electrode 5 in 127 mm 66110 Sharp Needle-Tip Electrode 6 in 152 mm				
66108 Sharp Needle-Tip Electrode 4 in 10.2 cm 66109 Sharp Needle-Tip Electrode 5 in 127 mm	CODE	DESCRIPTION	LENGTH	Н
66109 Sharp Needle-Tip Electrode 5 in 127 mm	66107	Sharp Needle-Tip Electrode	2¾ in	70 mm
·	66108	Sharp Needle-Tip Electrode	4 in	10.2 cm
66110 Sharp Needle-Tip Electrode 6 in 152 mm	66109	Sharp Needle-Tip Electrode	5 in	127 mm
	66110	Sharp Needle-Tip Electrode	6 in	152 mm
66111 Sharp Needle-Tip Electrode 7 in 178 mm	66111	Sharp Needle-Tip Electrode	7 in	178 mm
66112 Sharp Needle-Tip Electrode 8 in 203 mm	66112	Sharp Needle-Tip Electrode	8 in	203 mm



Needle Electrode, Short/Close-Up

Reusable, Straight, Standard 10 mm Exposure, 1 Each

CODE	DESCRIPTION	LENGTH		
66800	Needle-Tip Electrode	2 in 51 mm		



Needle Electrodes, Blunt

Reusable, Straight, Modified 2.0 mm Exposure, 1 Each

CODE	DESCRIPTION	LENGT	LENGTH	
67003	Blunt Needle-Tip Electrode	2¾ in	70 mm	
67004	Blunt Needle-Tip Electrode	6 in	152 mm	



Needle Electrodes, Standard

Reusable, Straight, Modified 2.0 mm Exposure, 1 Each

CODE	DESCRIPTION	LENGT	H
67000	Standard Needle-Tip Electrode	2¾ in	70 mm
67001	Standard Needle-Tip Electrode	4 in	102 mm
67002	Standard Needle-Tip Electrode	6 in	152 mm
67008	Standard Needle-Tip Electrode	8¾ in	222 mm



Needle Electrodes, Standard

Reusable, Straight, Modified 2.0 mm Exposure, 1 Each

CODE	DESCRIPTION	LENGTH	
67008	Standard Needle-Tip Electrode, Bayonet	8¾in 222mm	



Needle Electrodes

Single-Use, Straight

CODE	DESCRIPTION	LENGT	LENGTH	
97100	Needle Electrode	23/4 in	70 mm	50
97101	Needle Electrode	6 in	152 mm	10

Needle Electrodes, Straight

Single-Use, Tungsten Wire Micro Dissection, 1 Each

CODE	DESCRIPTION	LENGTH	
97110	Standard Sharp Needle Electrode	1½ in	38 mm
97111	Standard Sharp Needle Electrode	2 in	51 mm
97112	Standard Sharp Needle Electrode	23/8 in	60 mm
97116	Standard Sharp Needle Electrode	3½ in	89 mm
97117	Standard Sharp Needle Electrode	4½ in	114 mm
97114	Standard Sharp Needle Electrode	6 in	152 mm

Needle Electrodes, 45° Angled Shaft

Single-Use, Tungsten Wire Micro Dissection, 10 mm from Tips, 1 Each

CODE	DESCRIPTION	LENGTH
97115	Standard Sharp Needle Electrode	2¾ in 60 mm

Needle Electrode, Bayonet Shaft

Single-Use, Tungsten Wire Micro Dissection, 1 Each

CODE	DESCRIPTION	LENGTH	
97125	Ultra Sharp Needle Electrode	6 in 152 mm	



Needle Electrodes, Straight

Single-Use, Ultra Sharp, Tungsten Wire Micro Dissection, 1 Each

CODE	DESCRIPTION	LENGTH	
97130	Ultra Sharp Needle Electrode	1½ in	32 mm
97131	Ultra Sharp Needle Electrode	1% in	41 mm
97132	Ultra Sharp Needle Electrode	2 in	51 mm
97133	Ultra Sharp Needle Electrode	2½in	64 mm
97134	Ultra Sharp Needle Electrode	4 % in	118 mm
97135	Ultra Sharp Needle Electrode	5½in	140 mm
97136	Ultra Sharp Needle Electrode	6 % in	168 mm

Needle Electrodes, Angled Tip, 3.0 mm

Single-Use, Ultra Sharp, Tungsten Wire Micro Dissection, 1 Each

CODE	DESCRIPTION	LENGTH	
97141	Ultra Sharp Needle Electrode	1% in	41 mm
97143	Ultra Sharp Needle Electrode	2 in	51 mm
97144	Ultra Sharp Needle Electrode	4 in	102 mm
97145	Ultra Sharp Needle Electrode	4% in	118 mm
97147	Ultra Sharp Needle Electrode	6%in	168 mm
97148	Ultra Sharp Needle Electrode	7 in	178 mm

Needle Electrodes, Angled Shaft, 10 mm

Single-Use, Ultra Sharp, Tungsten Wire Micro Dissection, 1 Each

CODE	DESCRIPTION	LENGTH	
97150	Ultra Sharp Needle Electrode	2 in 51 mm	
97152	Ultra Sharp Needle Electrode	4% in 124 mm	
97154	Ultra Sharp Needle Electrode	6% in 175 mm	

Needle Electrodes, Curved Shaft

Single-Use, Ultra Sharp, Tungsten Wire Micro Dissection, 1 Each

CODE	DESCRIPTION	LENGTH	
97170	Ultra Sharp Needle Electrode	4 in	102 mm
97171	Ultra Sharp Needle Electrode	5% in	149 mm



Needle Electrodes, with Midas Touch® Non-Stick

Single-Use, Standard Exposure, Straight, 10 per Box

Needle Electrode, with Midas Touch® Non-Stick

Single-Use, Modified 2.0 mm Exposure, Bayonet, 10 per Box

CODE	DESCRIPTION	LENGTH	
30-1015	Needle Electrode	5¾ in 146 mm	

Olsen® Suction Coagulators

Suction Coagulators

Single-Use, 6 in (152 mm), 10 French, 10 per Box

CODE	DESCRIPTION
20-8020	Foot-Controlled, Requires 960xx Series Adapter
20-8040	Hand-Controlled





Olsen® Electrosurgical Cords

Bipolar Cords

Reusable, 1 Each

CODE	DESCRIPTION	PLUG	LENG	TH
87006	Shrouded Instrument Connector	Fixed-Pin Generator	12 ft	3.6 m
87110	European Flat Instrument Connector	Fixed-Pin Generator	12 ft	3.6 m
50-1106	45° Angled Instrument Connector	Fixed-Pin Generator	12 ft	3.6 m
87600	Instrument Connector	Wolf-Style Generator	12 ft	3.6 m



Bipolar Cords

Single-Use, 1 Each

CODE	DESCRIPTION	PLUG	LENGTH
40-1105	Straight Instrument Connector	Fixed-Pin Generator	12ft 3.6 m
40-1106	45° Angled Instrument Connector	Fixed-Pin Generator	12ft 3.6 m
40-1107	Straight Instrument Connector	Fixed-Pin Generator	12ft 3.6 m
40-1114	Instrument Connector	Wolf-Style Generator	12ft 3.6 m
40-1115	Wolf-Style Instrument Connector	Valleylab-Style Generator	12ft 3.6m



Integrated Irrigation Tubing and Bipolar Cord Set for Rotary Pumps

Integrated Irrigation Tubing and Bipolar Cord Set for Rotary Pumps, 10 per Box

CODE	DESCRIPTION	PLUG	LENGTH
40-3003R	On/Off Clamp	Fixed-Pin Generator	12 ft 3.6 m



Monopolar Cords

Reusable, 1 Each

CODE	DESCRIPTION	PLUG	LENGTH
20002	2.0 mm European-Style Recessed Pin Female	$\frac{5}{32}$ in (4.0 mm) Male Generator	10 ft 3.0 m
20003	TUR/Resectoscope Female	Valleylab-Style Male Generator	10 ft 3.0 m
20006	2.0 mm European-Style Recessed Pin Female	Valleylab-Style Male Generator	10 ft 3.0 m



Olsen® Electrosurgical Cords



Monopolar Cords

Reusable, 1 Each

CODE	DESCRIPTION	PLUG	LENGTH
90018	Olsen® Threaded Instrument Connector	$\frac{5}{32}$ in (4.0 mm) Male Generator	10 ft 3.0 m
90020	Olsen® Threaded Instrument Connector	Valleylab-Style Male Generator	10 ft 3.0 m
90054	Laparoscopic Instrument Connector	5/32 in (4.0 mm) Male Generator	10 ft 3.0 m
90056	Laparoscopic Instrument Connector	Valleylab-Style Male Generator	10 ft 3.0 m
90065	3.0 mm Olympus-Style Snare Connector	5/32 in (4.0 mm) Male Generator	10 ft 3.0 m
90067	3.0 mm Olympus-Style Snare Connector	Valleylab-Style Male Generator	10 ft 3.0 m
50-2107	Endoscopic Instrument Connector, Straight	Valleylab-Style Male Generator	10 ft 3.0 m
50-2111	Endoscopic Instrument Connector, Angled 90°	Valleylab-Style Male Generator	10 ft 3.0 m



Monopolar Cords

Single-Use, 10 per Box

CODE	DESCRIPTION	PLUG	LENGTH
40-2110	Endoscopic Instrument Connector, Straight	Valleylab-Style Generator	10 ft 3.0 m
40-2106	Endoscopic Instrument Connector, Angled 90°	Valleylab-Style Generator	10 ft 3.0 m

nonclar Cards

Monopolar Cords

Single-Use, 50 per Box

CODE	DESCRIPTION	PLUG	LENGTH
92002	Resectoscope Instrument Connector, Angled 90°	Crimped Wire Generator	10 ft 3.0 m



Olsen® Exposed Top Forceps

Adson Forceps

Reusable, Serrated Tips, Straight, 1 Each





Bayonet Forceps

Reusable, Insulated, Smooth Tips, 1 Each

CODE	DESCRIPTION	TIP SIZE	LENGT	Н
41207	Insulated, Exposed Top	1.0 mm	7¾ in	197 mm
41206	Insulated, Exposed Top	1.5 mm	7¾ in	197 mm
41406	Insulated, Exposed Top	1.0 mm	8 in	203 mm
41405	Insulated, Exposed Top	2.0 mm	8 in	203 mm
41607	Insulated, Exposed Top	2.0 mm	8½in	216 mm

DeBakey Forceps

Reusable, 1 Each

CODE	DESCRIPTION	TIPSIZE	LENGT	Н
44012	Insulated, Exposed Top	1.0 mm	6 in	127 mm
44006	Insulated, Exposed Top	1.5 mm	7¾ in	197 mm
44004	Insulated, Exposed Top	1.5 mm	9½in	241 mm



Potts-Smith Forceps

Reusable, Exposed Top, Serrated Tips, 1 Each

Length (L)	7½ in 191 mm	8½ in 216 mm	9¾in 248 mm	10 in 254 mm	12 in 305 mm
TIPSIZE	INSULATED	INSULATED	INSULATED	INSULATED	INSULATED
0.5 mm	42211		42411		
1.0 mm	42209	42309	42410		44005
1.5 mm	42208	42308	42409	44013	44000
2.0 mm	42207	42307	42408		



Olsen® Monopolar Adapters



Monopolar Generator Adapter

Electrosurgical Accessory, 1 Each

CODE	DESCRIPTION	PLUG
96000	Crimped Wire 1/8 in (3.2 mm) Cord Female	5⁄32 in (4.0 mm) Male Generator Plug
96001	Crimped Wire 1/8 in (3.2 mm) Cord Female	Valleylab-Style Male Generator Plug
96002	European/Wolf-Style Female	Valleylab-Style Male Generator Plug

History of Symmetry Surgical's Energy Portfolio

In 1973, Olsen® Medical introduced the first line of single-use monopolar electrosurgical handles for use as electrosurgical pens and pencils.

Now part of Symmetry Surgical, Olsen®'s innovative energy portfolio has expanded to include our Extendable Electrosurgical Pencil as well as a wide array of electrodes and monopolar forceps, cords and adapters to satisfy your needs.



Symmetry Surgical's Olsen® Bipolar Forceps

In 1988, Olsen® Medical introduced the first line of cost-effective, single-use bipolar forceps, and ten years later we introduced our innovative Midas Touch® non-stick bipolar forceps.

Today, as part of Symmetry Surgical, Olsen® continues to focus on innovative and costeffective ways to improve patient outcomes.





Olsen® Monopolar Pencils



Electrosurgical Pencils

Reusable, Blade Electrode, Foot-Activated, 1 Each

CODE	DESCRIPTION	PLUG
65000	Attached 10 ft (3.0m) Cord	Valleylab-Style Generator
65006	Attached 10 ft (3.0m) Cord	European/Wolf-Style Generator



Electrosurgical Pencil

Reusable, Blade Electrode, Hand-Activated, Button Switch, 1 Each

CODE	DESCRIPTION	PLUG
75000	Attached 10 ft (3.0m) Cord	3-Prong Generator



Electrosurgical Pencils

Single-Use, Blade Electrode, Hand-Activated, Button Switch, 50 per Box

CODE	DESCRIPTION	PLUG
75530	Attached 10 ft (3.0 m) Cord	3-Prong Generator
75540	Attached 10 ft (3.0 m) Cord, Holster, Tip Cleaner	3-Prong Generator
75541	Attached 10 ft (3.0 m) Cord, Holster	3-Prong Generator



Olsen® Monopolar Pencils



Electrosurgical Pencils

Single-Use, Blade Electrode, Hand-Activated, Rocker Switch, 50 per Box

CODE	DESCRIPTION	PLUG
75610	Attached 10 ft (3.0 m) Cord	3-Prong Generator
75620	Attached 10 ft (3.0 m) Cord, Holster, Tip Cleaner	3-Prong Generator
75621	Attached 10 ft (3.0 m) Cord, Holster	3-Prong Generator

Electrosurgical Pencils

Single-Use, Blade Electrode, Foot-Activated

CODE	DESCRIPTION	PLUG	QTY
95012	Attached 10 ft (3.0 m) Cord	Crimped Wire Connector (uses 960 Series Adapter)	100/Box
95017	Attached 10 ft (3.0 m) Cord, Packaged with Holster and Tip Cleaner	Crimped Wire Connector (uses 960 Series Adapter)	50/Box



Extendable Electrosurgical Pencils, with Midas Touch® Non-Stick

Single-Use, Midas Touch Non-Stick Blade Electrode, Hand-Activated, Button Switch, 25 per Box

CODE	DESCRIPTION	ADJUSTMENT
75800	Attached 10 ft (3.0 m) Cord with 3-Prong Generator Plug, Standard Blade	Easily Adjusts from 2½ to 5½ in
75802	Attached 10 ft (3.0 m) Cord with 3-Prong Generator Plug, Holster, Standard Blade	Easily Adjusts from 2½ to 5½ in
75810	Attached 10 ft (3.0 m) Cord with 3-Prong Generator Plug, Modified Blade	Easily Adjusts from 2½ to 5½ in
75820	Attached 10 ft (3.0 m) Cord with 3-Prong Generator Plug, Modified Needle	Easily Adjusts from 2½ to 5½ in





Olsen® Energy Accessories

Anesthesia Circuit Shield

Laser Safety Product, 6 per Box

CODE	DESCRIPTION	SIZE	
60-7100	Laser Safety Product	12 x 48 in	305 mm x 1.2 m

Holsters

Single-Use, Sterile, 50 per Box

CODE	DESCRIPTION
77000	Holster Packaged with Tip Cleaner
77001	Holster Only
77005	Holster with Self-Retaining Metal Clip
77006	Holster with Self-Retaining Metal Clip, Packaged with Tip Cleaner



Graves Vaginal Speculums, with Smoke Tube

CODE	DESCRIPTION	SIZE	
50001	Insulated, with Smoke Tube	3x¾in	76 x 20 mm
50101	Insulated, with Smoke Tube	4x1¾in	102 x 35 mm
50201	Insulated, with Smoke Tube	4½x1½in	114 x 35 mm
50002	Non-Insulated, Non-Reflective	3x¾in	76 x 20 mm
50102	Non-Insulated, Non-Reflective	4x1¾in	102 x 35 mm
50202	Non-Insulated, Non-Reflective	4½x1½in	114 x 35 mm



Open-Sided Vaginal Speculum

CODE	DESCRIPTION	SIZE
50301	Insulated, with Smoke Tube	4½x1¾in 114x35mm





Olsen® Energy Accessories

Binocular Eye Shield

Single-Use, Laser Safety Product

CODE	DESCRIPTION	QTY
60-7000-OL	Eye Shield	12/Box



Personnel Shield

Single-Use, Drapes Between Sterile Field & Anesthesiologist, 6 per Box

CODE	DESCRIPTION	SIZE	
60-7200	Sterile Safety Drape	30 x 60 in	762 mm x 1.5 m

ProClean[™] Tip Cleaning Pads with Adhesive Back

Single-Use, Sterile

CODE	DESCRIPTION	QTY
97500	Electrosurgical Accessory	50/Box
97501	Electrosurgical Accessory	144/Box



Replacement Stylets for Irrigating Bipolar Forceps

CODE	DESCRIPTION	LENGTH	QTY
08-1130	For Irrigating Bipolar Forceps		12/Box
60-0300	For Irrigating Bipolar Forceps	10¼in 260 mm	5/Box

